

the **BIG** List

800-764-7473 bisonpipe.com



BISON PIPE

INTERNATIONAL PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND	
54	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14.0	
	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	25.7	
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	377.2	
	48 X .750 SPIRALWELD, REJECT, BARE, MIXED ENDS	1,871.3	
	48 X .750 SURPLUS, BARE, BXTC,	25.6	
	48 X .718 SPIRALWELD A252 GR3, SURPLUS, BARE	40.4	
	48 X .625 EFW DSAW A672 GR C70 CLASS 22, BLK LAQ	20.0	
	48	48 X .598 SPIRALWELD A252 GR3, FBE, BXSQ, IMP, MTRS	288.7
		48 X .598 SPIRALWELD A252 GR3, BARE, MIXED ENDS, IMP, MTRS	366.2
		48 X .542 SPIRALWELD A252 GR3, SURPLUS, BARE	19.8
		48 X .500 DSAW, FBE, BXB	38.8
48 X .452 SPIRALWELD A252 GR 3, BARE, BXSQ, M&M DOM , MTRS		239.9	
48 X .438 SPIRALWELD A252 GR 3, BARE, BXB, DOM , MTRS		280.4	
48 X .400 SPIRALWELD A252 GR 3, BARE, BXSQ, M&M DOM , MTRS	499.7		
42	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB	132.9	
	42 X .888 STRAIGHT SEAM, BARE, BXTO, MTRS	74.1	
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	633.8	
	42 X .740 SPIRALWELD API 5L X70, ARO/FBE, IMP, BXB	624.8	
	42 X .625 SPIRALWELD, SURPLUS, BARE, BXSQ/SQXSQ	3,694.4	
	42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, DOM , BXB/BXTC	1,360.6	
	42 X .600 DSAW API 5L X70, FBE, BERG, BXB, MTRS	117.0	
	42	42 X .555 SPIRALWELD API 5L X70, ARO/FBE, IMP, BXB	115.0
		42 X .375 DSAW API 5L X42 FBE, IMP, BXB	184.7
		42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	168.6
		42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220.3
		42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	2,159.5
		42 X .375 ERW, SURPLUS, PRITEC, BXB	162.8
		42 X .375 SPIRALWELD A252, BARE, M&M DOM , SQXB, MTRS	170.0
42 X .375 SPIRALWELD A252, SURPLUS, BARE, SQXSQ/BXSQ		511.3	
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, M&M DOM , MTRS	3,000	
	36 X .875 SPIRALWELD, USED, ARO , 0-1 MW	187.6	
	36 X .875 STRAIGHT SEAM API X70, FBE, MTRS	279.3	
	36 X .750 DSAW API 5L X70, SURPLUS, FBE, DOM , MTRS	775.1	
	36 X .750 SPIRALWELD A252 GR 3, BARE, MTRS	173.6	
	36 X .748 SPIRALWELD API X70, FBE, MTRS	4,000	
	36 X .688 SPIRALWELD, USED, FLOWLINER, MTRS	197.6	

the **BIG** List

800-764-7473 bisonpipe.com



**BISON
PIPE**

INTERNATIONAL
PIPE



	OD SIZE	STOCK DESCRIPTION	QTY ON HAND
		36 X .634 API 5L X70, ARO MTRS	376.0
		36 X .625 A252 GR 3, BARE, DOM , MTRS	3,059.7
		36 X .625 SPIRALWELD A252 GR3, BARE, M&M DOM , MTRS	485.7
		36 X .618 SPIRALWELD API X70, FBE, MTRS	3,482.5
		36 X .572 SPIRALWELD API X70, FBE, MTRS	10,000
		36 X .531 SPIRALWELD, SURPLUS, BARE, MTRS	140.0
		36 X .515 SPIRALWELD API X70, FBE MTRS	5,000
		36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	513.1
		36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE, MTRS	258.7
		36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320.0
		36 X .500 SPIRALWELD API 5L X70, ARO/FBE MTRS MTRS	302.8
		36 X .469 DSAW API 5L X70, BARE, IMP	349.8
36		36 X .465 SPIRALWELD A252/3, BARE, IMP, MTRS	634.4
		36 X .465 SPIRALWELD API X70, FBE, MTRS	90,037.2
		36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	246.5
		36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	7,029.8
		36 X .465 STRAIGHT SEAM, SURPLUS, FBE, MTRS	121.0
		36 X .429 ARO, FLOWLINER, 0-1 MW	197.1
		36 X .429 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	846.2
		36 X .412 STRAIGHT SEAM, SURPLUS, FBE , 0-1 MW	262.3
		36 X .412 STRAIGHT SEAM, USED, FBE , 0-1 MW	139.0
		36 X .412 USED, FBE, PICKING EYES, MTRS	209.7
		36 X .375 DSAW API 5L X42, SURPLUS, ARO, DOM , BXB	1,123.9
		36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	612.8
		36 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, MTRS	120.0
34		34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461.1
		30 X .752 DSAW API 5L, SURPLUS, BARE, BXB	158.7
		30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	211.8
		30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	271.2
		30 X .625 DSAW API 5L X70, ARO, M&M DOM , BXB, MTRS	475.3
30		30 X .625 DSAW API X70 CLAD, DOM , MTRS	31,178.1
		30 X .625 SPIRALWELD A252 GR3, BARE, DOM , MTRS	1,541.1
		30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE, MTRS	229.0
		30 X .625 SPIRALWELD, SURPLUS BARE, MTRS	214.4
		30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MW	137.4
		30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,783.1

the **BIG** List

800-764-7473 bisonpipe.com



**BISON
PIPE**

INTERNATIONAL
PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
30	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	1,845.1
	30 X .562 DSAW API 5L X65, ARO/FBE, IMP, MTRS	105.7
	30 X .562 SPIRALWELD API 5L X70, FBE, MTRS	2,963.3
	30 X .500 SPIRALWELD A252 GR3, BARE, DOM , MTRS	327.5
	30 X .500 SPIRALWELD API 5L X70 ARO/FBE, IMP, MTRS	1,400.4
	30 X .500 SPIRALWELD, SURPLUS, BARE, MTRS	132.9
	30 X .469 SPIRALWELD A252 GR3, BARE, IMP, MTRS	229.0
	30 X .441 DSAW API 5L X70, FBE, MTRS	18,321.5
	30 X .441 SPIRALWELD A252, BARE, DOM MANUFACTURED ONLY, SQXSQ, MTRS	3,099.8
	30 X .441 SPIRALWELD A252 GR3, BARE, DOM , MTRS	5,002.1
	30 X .441 SPIRALWELD API 5L X70, BARE	130.3
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	1,895.0
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM , MTRS	180.4
	30 X .375 DSAW API 5L X42/X52 FBE, MTRS	176.3
	30 X .375 #2 USED, CULVERT, MTRS	436.5
28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,115.2
26	26 X .500 DSAW API 5L X70, BARE, MTRS	121.2
	26 X .500 ERW, SURPLUS, BLK LAQ, MTRS	120.2
	26 X .375 ERW, SURPLUS, BARE	78.5
24	24 X 1.219 SEAMLESS A333 GR 6, BARE, MTRS	114.1
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	700.0
	24 X .625 ERW API 5L X65, FBE MTRS	690.2
	24 X .625 SPIRALWELD A252 GR3, USED, BARE, DOM , MTRS	1,388.8
	24 X .625 USED, BARE, 0-1 MW, MTRS	465.5
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	658.2
	24 X .500 CAT 483, ARO/FBE, IMP, MTRS	312.3
	24 X .500 DSAW API 5L X60, FBE, IMP, BXB, MTRS	686.1
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	422.4
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM , BXB	7,154.2
	20 X .500 ERW, SURPLUS, ARO/FBE, MTRS	215.5
	24 X .500 SURPLUS CAT 438, FBE, IMP, MTRS	381.2
	24 X .406 API 5L X65/X70, SURPLUS, BARE, BXB	384.5
	24 X .375 A252 GR 2/3, BARE, DOM , MTRS	217.3
	24 X .375 A252 GR 3, BARE, IMP, MTRS	187.6
	24 X .375 API 5L X42, USED, BLK LAQ, MTRS	287.3
	24 X .375 DSAW API 5L X52, BARE, DOM , MTRS	390.5

the **BIG** List

800-764-7473 bisonpipe.com



BISON PIPE

INTERNATIONAL PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
24	24 X .375 DSAW API 5L X70, FBE, IMP, MTRS	1,485.0
	24 X .375 ERW API 5L, SURPLUS, FBE, MTRS	381.0
	24 X .375 ERW API 5L X52, FBE, M&M DOM , BXB, MTRS	8,804.3
	24 X .375 ERW API 5L X52/X70, BARE, DOM , MTRS	219.5
	24 X .375 ERW API 5L X52/X70, SURPLUS, ARO/FBE, 0-1 MW	1,550.8
	24 X .375 ERW API 5L X65, FBE, MTRS	342.1
	24 X .375 ERW API 5L X70, BLK LAQ, DOM , MTRS	202.3
	24 X .375 ERW API 5L X70, FBE, DOM , MTRS	12,372.3
	24 X .375 ERW, ARO/FBE, MTRS	198.0
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	4,309.8
	24 X .375 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS	249.6
	24 X .375 ERW, SURPLUS, CLEANED BARE, MTRS	687.0
	24 X .375 SURPLUS, BARE, MTRS	818.7
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW, MTRS	523.3
	24 X .350 USED, FBE, WELDMENTS, 0-2 MW	312.9
	24 X .344 ERW, SURPLUS, 3LPP, MTRS	914.9
	24 X .312 ERW API 5L X65, FBE, M&M DOM , BXSQ, MTRS	2,525.9
	24 X .281 ERW API 5L X70, BARE, M&M DOM , MTRS	600.0
24 X .281 ERW, SURPLUS BARE, MTRS	385.2	
22	22 X .625 SURPLUS API X52, BARE/BLK LAQ	575.6
	22 X .500 STRUCTURAL, SURPLUS, BARE, BXB	40.1
	22 X .375 ERW, SURPLUS, FBE, BXB	21.5
	22 X .375 API 5L X46, BARE, IMP W/ SAMPLE MTRS	5,371.9
	22 X .312 DSAW, SURPLUS, BARE, TCXTC, 0-1 MW	30.8
20	20 X .812 API X56, NEW, MIXED ENDS, IMP, NO MTRS	130.5
	20 X .812 ERW API 5L X50/X65, FBE, IMP	111.5
	20 X .750 ERW A252 GR 2/3, BARE, M&M DOM , MTRS	1,049.6
	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	951.9
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,879.7
	20 X .594 ERW API 5L X65, FBE, MTRS	1,124.4
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	683.1
	20 X .562 SURPLUS X70, FBE, BXB,	363.4
	20 X .500 A252 GR 2/3, BARE, DOM , MTRS	962.7
	20 X .500 A252 GR 3, BARE, IMP, MTRS	618.8
	20 X .500 API 5L X70, SURPLUS, FBE, MTRS	399.2
	20 X .500 ERW X60, FBE, BXB, MTRS	239.8

the **BIG** List

800-764-7473 bisonpipe.com



**BISON
PIPE**

INTERNATIONAL
PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
20	20 X .500 USED, SEAMLESS, SURPLUS, ARO, MTRS	974.9
	20 X .438 ERW, SURPLUS API 5L X70 FBE MTRS	979.5
	20 X .413 ERW A252 GR 3, BARE, IMP, MTRS	496.3
	20 X .406 ERW A252 GR 2/3, BARE, DOM , MTRS	872.5
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	1,285.6
	20 X .375 ERW API 5L X42-X70, FBE, IMP, MTRS	214.2
	20 X .375 ERW, SURPLUS, 3LPP/PRITEC, MTRS	1,315.9
	20 X .375 ERW, SURPLUS, BARE, MIXED ENDS	257.6
	20 X .344 A252 GR 3, BARE, MTRS	943.3
	20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248.4
	20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	1,361.9
	20 X .375 API 5L X65 PSL2, ARO, M&M DOM , MTRS	568.4
	20 X .375 DSAW API/A53, BARE, IMP	231.3
	20 X .375 ERW API 5L X42, GALVANIZED SPRAY, M&M DOM , MTRS	690.1
	20 X .375 ERW API 5L X65, BARE/BLK LAQ, M&M DOM , BXB, MTRS	5,497.3
	20 X .375 SEAMLESS A106 GR B, BARE, IMP, MTRS	206.4
18	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE, MTRS	431.4
	18 X .500 ERW API 5LB X42, BARE, IMP, MTRS	557.6
	18 X .312 #1 USED CULVERT, BARE	68.5
16	16 X .656 SEAMLESS, FBE, MTRS	151.4
	16 X .625 A252 GR 3, BARE, DOM , MTRS	312.9
	16 X .563 A252 GR 3, BARE, IMP, MTRS	347.0
	16 X .562 ERW, SURPLUS, BARE, MTRS	320.0
	16 X .500 ERW A252 GR 3, BARE, DOM , MTRS	130.1
	16 X .500 GALVANIZED, MTRS	429.2
	16 X .500 LIMITED SERVICE, BARE, M&M DOM , MTRS	499.5
	16 X .500 SURPLUS, BARE, MTRS	631.0
	16 X .375 ERW, SURPLUS, BARE, MTRS	197.1
	16 X .375 SURPLUS, GALVANIZED, MTRS	290.9
16 X .313 A500 GR B, BARE, IMP	240.3	
14	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE, MTRS	218.1
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,911.8
	14 X .500 ERW, SURPLUS, BARE, MTRS	955.3
	14 X .375 ERW API X42/X52, BARE/BLK LAQ, IMP, MTRS	148.4
	14 X .375 ERW, SURPLUS, BARE, BXSQ	122.9
14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	210.9	

the **BIG** List

800-764-7473 bisonpipe.com



BISON PIPE

INTERNATIONAL PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
14	14 X .375 GALVANIZED MTRS	667.1
13	13 3/8 X .440 ERW, SURPLUS, BARE, CASING, TCXTC	25.8
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164.0
	12 3/4 X .650 SEAMLESS API X65, BARE	525.3
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE, MTRS	672.0
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB/SQXSQ	717.9
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372.3
	12 3/4 X .500 GALVANIZED MTRS	208.1
	12 3/4 X .500 SEAMLESS A53 B/A106, BLK LAQ, MTRS	210.0
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, MTRS	384.0
	12 3/4 X .375 API 5L X42-X65, SURPLUS, BARE, MTRS	398.9
	12 3/4 X .375 API X42/X52/X60/X65, SURPLUS, CLEANED BARE, MTRS	971.1
	12 3/4 X .375 API X42-X65, SURPLUS, FBE, MTRS	315.5
	12 3/4 X .375 ERW A53 B, GALVANIZED, DOM , MTRS	211.1
	12 3/4 X .375 ERW A53 B, GALVANIZED, IMP, MTRS	211.7
	12 3/4 X .375 ERW API 5L X42/X52, FBE, DOM , MTRS	1,467.1
	12 3/4 X .375 ERW API 5L X52/X60/X65, ARO/FBE, DOM , MTRS	518.7
	12 3/4 X .375 ERW, SURPLUS, FBE, MTRS	250.4
	12 3/4 X .375 GALVANIZED MTRS	760.3
	12 3/4 X .375 LIMITED SERVICE, MW	473.4
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , MTRS	550.8
	12 3/4 X .330 A53/API X42, SURPLUS, BARE/BLK LAQ, MTRS	248.7
	12 3/4 X .330 API 5L X52, SURPLUS, FBE	463.2
	12 3/4 X .312 A252 GR 2/3, BARE, DOM , MTRS	1,061.2
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	5,439.9
	12 3/4 X .311 ERW SCA Z245.1 GR 359 CAT II, IMP, MTRS	1,592.2
	12 3/4 X .281 A252 GR 2/3, NEW, BARE, PEB, DOM , MTRS	1,236.4
12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW, MTRS	1,299.4	
12 3/4 X .250 ERW A252 GR 2/3 MTRS - DOM	696.5	
12 3/4 X .250 ERW API 5L, BLK LAQ, IMP	290.0	
12 3/4 X .250 ERW API 5L X56, CLEANED BARE, BXB, MTRS	7,646.0	
12 3/4 X .250 ERW, STRUCTURAL, SURPLUS, FBE, TCXTC, MW	500.7	
12 3/4 X .250 ERW, SURPLUS, BARE, BXB, SQXSQ	2,060.9	
12 3/4 X .250 ERW, SURPLUS, BLK LAQ, MTRS	700.0	
12 3/4 X .250 ERW, SURPLUS, FBE, DMGD	432.2	
12 3/4 X .250 USED, BARE, SLURRY LINED, MTRS	489.3	

the **BIG** List

800-764-7473 bisonpipe.com



BISON PIPE

INTERNATIONAL PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
12	12 3/4 X .219 API 5L X52/X60, SURPLUS, FBE, MTRS	380.0
	12 3/4 X .219 NEW, ERW, SURPLUS, FBE	680.5
	12 3/4 X .188 ERW API 5L A53 X52, BLK LAQ, DOM , MTRS	715.7
	12 3/4 X .188 ERW API 5L X42/X52/X60, FBE, DOM , MTRS	2,169.8
11	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	158.7
	11 3/4 X .438 SURPLUS, FBE, SQXSQ, MW	18.8
10	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, MTRS	313.7
	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, MTRS	329.3
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693.0
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP, MTRS	681.9
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MTRS	1,911.2
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732.2
	10 3/4 X .365 ERW, STRUCTURAL, BARE, BXB, 0-1 MW	856.2
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC MTRS	3,020.6
	10 3/4 X .365 ERW, SURPLUS, BARE, SQXSQ/SQXTC	1,204.4
	10 3/4 X .365 ERW, SURPLUS, BXB	518.8
	10 3/4 X .365 GALVANIZED, MTRS	846.7
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, CLEANED BARE, IMP, BXB	1,058.5
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	1,225.7
	10 3/4 X .312 STRAIGHT SEAM A252, BARE, DOM , MTRS	463.4
	10 3/4 X .307 ERW A252 GR 2/3, BARE, DOM , MTRS	359.5
	10 3/4 X .307 ERW, SURPLUS, 3LPP, MTRS	843.8
	10 3/4 X .307 ERW, SURPLUS, BARE, MTRS	619.4
	10 3/4 X .250 ERW, SURPLUS, 3LPP/PRITEC	1,228.5
	10 3/4 X .219 ERW API 5L X52, FBE MTRS	349.6
	10 3/4 X .219 ERW, SURPLUS, FBE, DMGD	529.4
10 3/4 X .165 #1 ERW A53 B, USED, ROLL GROOVED ENDS	43,361.7	
10 3/4 X .109 ERW A135 A, SURPLUS, BARE, MTRS	2,667.0	
9	9 5/8 X .472 SURPLUS, BARE, CASING	1,435.1
	9 5/8 X 36# USED CASING, BARE/BLK LAQ	625.6
	9 5/8 X 40# CASING, NEW, BLK LAQ	782.0
8	8 5/8 X .438 SEAMLESS API 5L X60, SURPLUS, BARE, IMP, BXB, MTRS	11,157.9
	8 5/8 X .375 A500 BARE, MTRS	239.4
	8 5/8 X .322 ERW, SURPLUS, PRITEC/FOAM	564.7
	8 5/8 X .322 ERW, SURPLUS, FBE, MTRS	279.1
	8 5/8 X .322 ERW, STRUCTURAL, BARE, MTRS	291.8

the **BIG** List

800-764-7473 bisonpipe.com



BISON PIPE

INTERNATIONAL PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
8	8 5/8 X .322 GALVANIZED MTRS	660.7
	8 5/8 X .322 NEW, SURPLUS, FBE, MW	274.0
	8 5/8 X .250 ERW, SURPLUS, PRITEC, MTRS	696.4
	8 5/8 X .219 ERW, SURPLUS, YELLOW JACKET, MIXED ENDS	315.2
	8 5/8 X .219 ERW, STRUCTURAL, SURPLUS, FBE, BXIN	227.1
	8 5/8 X .219 STRUCTURAL, SURPLUS, BARE, TCXTC/BXTC	373.2
	8 5/8 X .188 A53 GR B, SURPLUS, BARE, MTRS	228.5
	8 5/8 X .188 ERW API X42/X52, SURPLUS, IMP, FBE, SOME MTRS	14,572.4
	8 5/8 X .188 ERW, SURPLUS, FBE	236.0
	8 5/8 X .188 SEAMLESS A106, FBE MTRS	220.8
8 X .980 DSAW, SURPLUS, BARE, TCXTC	18.2	
7	7 X .540 SURPLUS, BARE, CASING, THXSQ/THXTC	31.7
	7 X .500 SURPLUS, BARE, CASING, SQXSQ	16.1
	7 X 39 #1 SEAMLESS, USED, CASING, BARE, THXC, DOM	111.3
6	6 5/8 X .718 ERW, SURPLUS, BARE, TCXTC	13.6
	6 5/8 X .562 DSAW, SURPLUS, BARE	160.8
	6 5/8 X .432 SEAMLESS, SURPLUS, FBE, BXB,	176.1
	6 5/8 X .432 SURPLUS, BARE, TCXTC	603.8
	6 5/8 X .375 SEAMLESS API 5L X42, BARE/BLK LAQ, IMP, MTRS	1,142.5
	6 5/8 X .280 ERW, SURPLUS, PRITEC, BXB	166.4
6 5/8 X .280 ERW API 5L X52, FBE, IMP, MTRS	140.4	
5	5 9/16 X .375 ERW A53 B, SURPLUS, BLK LAQ, M&M DOM , BXB, MTRS	882.0
	5 9/16 X .375 SEAMLESS A106, BLK LAQ, IMP, MTRS	2,195.1
	5 9/16 X .375 SEAMLESS A333 GR 6, SURPLUS, BLK LAQ	511.8
	5 9/16 X .375-.430 SEAMLESS A106/A53/X42, BLK LAQ, MTRS	479.6
	5 9/16 X .188 ERW, A53 A, SURPLUS, BARE, MTRS	276.2
	5 9/16 X .134 A53 GR A, GALVANIZED, MTRS	5,376.0
5 1/2 X .361 ERW, STRUCTURAL, BARE, MTRS	4,622.5	
4	4 1/2 X .375-.431 DRILL, BARE, TOOL JOINT ENDS, MTRS	1,095.7
	4 1/2 X .337 DSAW, SURPLUS, BARE, SQXSQ, SOME MTRS	396.3
	4 1/2 X .237 ERW A53 B, SURPLUS, BARE/BLK LAQ, DOM	1,535.9
	4 1/2 X .237 ERW, SURPLUS, GREY ARO, MTRS	520.2
	4 1/2 X .237 SEAMLESS API 5L X42, BARE/BLK LAQ, M&M	922.3
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	472.5
	4 1/2 X .105 DSAW, SURPLUS, BARE, SQXSQ	1,610.0
	4 X .237 X 21' A53 GR A, GALVANIZED, T&C, IMP, MTRS	2,709.0

the **BIG** List

800-764-7473 bisonpipe.com



BISON PIPE

INTERNATIONAL PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND	
4	4 SCH 40 ERW A53 GR A, GALVANIZED, IMP, BXB, MTRS	714.0	
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE , IMP	2,315.3	
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, MTRS	3,050.6	
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,950.7	
	3 1/2 X .250 ERW, SECONDARY, BARE, TUBING, SQXSQ	576.6	
	3 1/2 X .218 ERW, SECONDARY, BARE, TUBING	1,136.2	
	3 1/2 X .216 API/A53, SURPLUS, BARE/BLK LAQ, IMP MTRS	588.0	
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, MTRS	4,163.0	
	3	3 1/2 X .156 SEAMLESS A106 GR B, FBE	1,804.0
		3 X .438 SEAMLESS A106 GR B, NEW, BLK LAQ , BXB, MTRS	806.1
3 X .300 ERW, SURPLUS, BARE, MTRS		1,314.2	
3 X .300 SEAMLESS A106 B, BARE/BLK LAQ, M&M DOM , BXB, MTRS		13,231.1	
3 X .250 ERW, SECONDARY, BARE TUBING		2,429.9	
3 X .216 A53 GR A, BLK LAQ , T&C, IMP		2,100.0	
3 X .216 ERW, SECONDARY BARE, MTRS		1,523.9	
3 SCH 10 (.120) ERW, SECONDARY, BARE, SQXSQ		3,835.2	
2		2 7/8 X .217 USED, FIBERGLASS LINED, MTRS	870.3
		2 7/8 X .217 USED, MTRS	1,132.0
	2 7/8 X .217 X 31.5' AVG, USED	51,879.4	
	2 7/8 X .276 ERW A53 GR A, BARE, MTRS	1,355.8	
	2 1/2 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, MTRS	2,218.7	
	2 1/2 X .276 SEAMLESS A106, BLK LAQ, IMP, MTRS	2,388.8	
	2 1/2 #1 USED TUBING, T&C	14,674.8	
	2 1/2 X .203 DSAW, SURPLUS, BARE, T&C	402.8	
	2 1/2 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , MTRS	2,835.0	
	2 1/2 SCH 40 ERW A53 B, GALVANIZED, M&M DOM , MTRS	1,428.0	
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,927.2	
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	14,784.0	
	2 X .218 ERW A53 GR B/E, BLK LAQ, IMP, MTRS	1,386.2	
	2 X .218 SEAMLESS API 5L X42 A106, ARO/FBE, 0-1 MW	2,213.4	
	2 X .154 API 5L X52, BARE, MTRS	734.7	
	2 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , MTRS	2,499.0	
	2 X .154 ERW, STRUCTURAL, SURPLUS, BARE, MTRS	2,021.7	
	2 X .154 X 21' A53 A, GALVANIZED, T&C, IMP	2,635.5	
	2 X .154 X 21' ERW A53 A, BLK LAQ, T&C, BTC CARBON (26 PCS PER BUNDLE)	2,684.0	
	2 X .120 X 24' STRUCTURAL, BARE, RUSTY, MTRS (37 PCS PER BUNDLE)	1,464.0	

the **BIG** List

800-764-7473 bisonpipe.com



**BISON
PIPE**

INTERNATIONAL
PIPE



OD SIZE	STOCK DESCRIPTION	QTY ON HAND
2	2 X .109 ERW SECONDARY BARE, MTRS	2,072.0
1	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS/BUNDLE)	29,880.0
	1.66 X .120 X 21' 24' NEW, TUBING, BARE	2,079.0
	1.66 X .083 X 20' 14GA, NEW	61,780.0
	1.66 X .083 X 24' 14GA, NEW, TUBING, BARE, SQXSQ	100,152.0
	1 1/2 X .083 14GA ERW, SURPLUS, BARE TUBING SQXSQ	13,165.5
	1 1/4 X .140 ERW A53 GR A, GALVANIZED, M&M DOM , MTRS	4,158.0
	1 1/4 X .083 14GA NEW X 20' 24	35,208.0
	1 1/4 X .083 X 20' 14GA NEW, MTRS	26,640.0
	1 X .179 SEAMLESS A106 GR B, GALVANIZED	2,564.3
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	6,258.0
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , MTRS	9,792.0
	1 X .133 SEAMLESS A106 GR B, FBE, M&M DOM , MTRS	8,512.2
3/4	3/4 X .219 SEAMLESS A106 GR B, BARE, MTRS	3,416.7
	3/4 X .154 ERW A53 GR A/F, GALVANIZED, M&M DOM , MTRS	2,625.0
	3/4 X .113 ERW A53 A, BLK LAQ, IMP, MTRS	3,444.0
	3/4 X .113 ERW A53 A, GALVANIZED, IMP, MTRS	2,037.0
	3/4 X .113 ERW A53 F, BLK LAQ, M&M DOM , MTRS	1,785.0
	3/4 SCH 40 (.113) A53 GR A, BLK LAQ, T&C, IMP	3,087.0
	3/4 X .065 ERW, STRUCTURAL, SURPLUS, BARE, TUBING	21,439.6
1/2	1/2 X .147 ERW A53 A/F, BLK LAQ, M&M DOM , BXB, MTRS	1,134.0
	1/2 X .147 ERW A53 GR B/F, GALVANIZED, DOM , MTRS	3,255.0
	1/2 X .109 ERW, SURPLUS BARE, MTRS	8,001.0
	1/2 X .109 ERW A53 GR A, GALVANIZED, M&M DOM , MTRS	4,641.0
	1/2 X .109 ERW A53 GR A, GALVANIZED, IMP, MTRS	7,245.0