

the

NOVEMBER 2022

BIG

List

800-764-7473
bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
54	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	312
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 SPIRALWELD, SECONDARY, BARE, MIXED ENDS	1,518
	48 X .750 SURPLUS, BARE, BXTC	26
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, MTRS	21
	48 X .625 DSAW EFW A672 GR C70 CLASS 22, BLK LAQ	20
	48 X .598 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, IMP, MTRS	107
	48 X .539 SPIRALWELD A252 GR 3, M&M DOM , MIXED ENDS, MTRS	255
	48 X .500 DSAW, FBE, BXB	39
42	42 X .888 STRAIGHT SEAM, BARE, BXTC, MTRS	74
	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	630
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	281
	42 X .750 SURPLUS, FBE, ROUGH ENDS	115
	42 X .740 SPIRALWELD X70, ARO/FBE, IMP, BXB	336
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	4,337
	42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, DOM , BXB/BXTC, 0-2 MW	2,152
	42 X .600 SPIRALWELD A252, SURPLUS, BARE, SQXSQ	83
	42 X .551 API 5L X70, FBE, DOM , BXB, MTRS	426
	42 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	50
	42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220
	42 X .375 ERW, SURPLUS, PRITEC, BXB	122
	42 X .375 SPIRALWELD A252, SURPLUS, BARE, SQXSQ/BXSQ	351
	42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	169
42 X .375 DSAW API 5L X42, FBE, IMP, BXB	145	
42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	1,643	
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	4,494
	36 X .875 DSAW API X70, BARE, MTRS	279
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MW	188
	36 X .750 DSAW, SURPLUS API X70 FBE	386
	36 X .750 SPIRALWELD A252 GR 3, BARE/CTD, MTRS	118
	36 X .748 SPIRALWELD API X70, FBE, MTRS	10,052
	36 X .688 SPIRALWELD, USED, FLOWLINER	198

the

NOVEMBER 2022

BIG

List

800-764-7473
bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
36	36 X .634 API 5L X70, ARO	376
	36 X .625 A252 GR 3, BARE, DOM , MTRS	1,405
	36 X .625 SPIRALWELD A252 GR 3, BARE, M&M DOM , MTRS	164
	36 X .531 SPIRALWELD, SURPLUS, BARE	140
	36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE	259
	36 X .500 SPIRALWELD, SURPLUS, FBE, 0-3 MW	161
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, BXB, MTRS	189
	36 X .750 DSAW API 5L X65, RED FBE, MTRS	215
	36 X .750 DSAW API 5L X70, FBE, DOM , MTRS	116
	36 X .618 SPIRALWELD API X70, FBE, MTRS	1,323
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,953
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	453
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE MTRS	303
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLK ID LINER	161
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,710
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, MIXED ENDS, DOM , MTRS	10,313
	36 X .465 SPIRALWELD API X70, FBE, MTRS	62,908
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	247
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	6,519
	36 X .429 ARO FLOWLINER, 0-1 MW	197
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	554
	36 X .412 STRAIGHT SEAM, SURPLUS, USED, FBE, 0-1 MW	421
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	413
	36 X .375 DSAW API 5L X42, SURPLUS, ARO/FBE, DOM , BXB	799
	34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS
30	30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	212
	30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	271
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, DURABOND	4,095
	30 X .625 DSAW API 5L X70, ARO, M&M DOM , BXB, MTRS	475
	30 X .625 DSAW API X70 CLAD, DOM , MTRS	31,178

the

NOVEMBER 2022

BIG

List

800-764-7473
bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
30	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,164
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	443
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MW	137
	30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,681
	30 X .562 DSAW API 5L X65, ARO/FBE, IMP, MTRS	262
	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	711
	30 X .562 SPIRALWELD API 5L X70, FBE	2,680
	30 X .500 SPIRALWELD API 5L X70 ARO/FBE, IMP, MTRS	974
	30 X .500 SPIRALWELD, SURPLUS, BARE	133
	30 X .441 DSAW API 5L X70, FBE, SOME MTRS	15,384
	30 X .441 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	7,884
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	1,159
	30 X .375 SPIRALWELD, SURPLUS API 5L X70, FBE, 0-2 MW	268
28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,101
26	26 X .500 DSAW API 5L X70, BARE, MTRS	121
24	24 X 1.219 SEAMLESS A333 GR 6, BARE, MTRS	114
	24 X .750 SPIRALWELD, USED, BARE	108
	24 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,152
	24 X .625 USED, BARE, 0-1 MW	466
	24 X .625 ERW API 5L X65, FBE	690
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	441
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	1,020
	24 X .500 SPIRALWELD, USED, BARE	170
	24 X .500 SURPLUS CAT 483, FBE, IMP, MTRS	204
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM , BXB	3,701
	24 X .500 ERW, SURPLUS, BARE	391
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	422
	24 X .406 SURPLUS API 5L X65/X70, BARE, BXB,	385
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 API 5L X70 GR, FBE, M&M, BXB, MTRS	489
	24 X .375 DSAW API 5L X52, BARE, DOM , MTRS	351
	24 X .375 DSAW API 5L X70, FBE, IMP, MTRS	1,001
	24 X .375 ERW API 5L, SURPLUS, FBE	381
	24 X .375 ERW API 5L X52, FBE, M&M DOM , BXB, MTRS	8,127
	24 X .375 ERW API 5L X52 X70, SURPLUS, ARO/FBE, 0-1 MW	814

the

NOVEMBER 2022

BIG

List

800-764-7473

bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
24	24 X .375 ERW API 5L X65, FBE	342
	24 X .375 ERW API 5L X70, BLK LAQ, DOM , MTRS	202
	24 X .375 ERW, ARO/FBE	138
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	5,066
	24 X .375 ERW, SURPLUS, ARO/FBE	163
	24 X .375 ERW, SURPLUS, CLEANED BARE	337
	24 X .375 SURPLUS, BARE	757
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,262
	24 X .350 USED, FBE, WELDMENTS, 0-2 MW	313
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	503
	24 X .344 ERW, SURPLUS, 3LPP CTD	539
	24 X .312 ERW API 5L X65, FBE, M&M DOM , BXB, MTRS	1,148
	24 X .300 ERW API X60, SURPLUS, ARO, BXB	268
	24 X .281 ERW API 5L X70, BARE, M&M DOM , MTRS	299
22	22 X .669 API 5L X52, SURPLUS, BARE/BLK LAQ, IMP	109
	22 X .625 API X52, SURPLUS, BARE/BLK LAQ	431
	22 X .375 API 5L X46, BARE, IMP, MTRS	4,892
	22 X .281 ERW API X70, SURPLUS, FBE, BXB	725
	22 X .281 SURPLUS, FBE, BXB	8,918
20	20 X .812 API X56, NEW, MIXED ENDS, IMP,	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .750 ERW A252 GR 2/3, BARE, M&M DOM , MTRS	1,050
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	354
	20 X .594 ERW API 5L X65, FBE	1,124
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 SURPLUS X70, FBE, BXB	363
	20 X .500 A252 GR 2/3, BARE, DOM , MTRS	963
	20 X .500 A252 GR 3, BARE, IMP, MTRS	538
	20 X .500 API 5L X70, SURPLUS, FBE	399
	20 X .500 ERW, SURPLUS, FBE	121
	20 X .500 ERW X60, FBE, BXB, MTRS	167
20 X .500 ERW X65, SURPLUS, ARO, BXB	146	
20 X .500 SEAMLESS A333 API 5L X52, ARO, BXB	403	

the

NOVEMBER 2022

BIG

List

800-764-7473
bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
20	20 X .500 SEAMLESS, SURPLUS, ARO	123
	20 X .500 SURPLUS, USED, ARO	811
	20 X .438 ERW, SURPLUS API 5L X70 FBE	830
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	1,107
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248
	20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	1,620
18	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE	250
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .500 ERW API 5LB X42, BARE, IMP, MTRS	252
	18 X .375 #2 SEAMLESS, USED, BARE/BLK LAQ, BXB	253
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	9,263
16	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122
	16 X .656 SEAMLESS, FBE	151
	16 X .625 A252 GR 3, BARE, DOM , MTRS	313
	16 X .563 A252 GR 3, BARE, IMP, MTRS	347
	16 X .500 A252, BARE	197
	16 X .500 ERW A53/API, BARE/BLK LAQ, IMP, MTRS	165
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	842
	16 X .500 GALVANIZED	429
	16 X .500 LIMITED SERVICE, BARE, M&M DOM , MTRS	254
	16 X .500 SURPLUS, BARE	631
	16 X .375 ERW API 5L X52, BLK LAQ, IMP, BXB, MTRS	252
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	691
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	240
	16 X .312 SURPLUS, BARE	204
	16 X .312 ERW X42 X52, SURPLUS, ARO/POWERCRETE, TCXTC	723
	16 X .312 ERW X42 X52, SURPLUS, ARO, BXB/TCXTC	556
	16 X .312 SEAMLESS X42 X52, SURPLUS, FBE, BXB/TCXTC	509
	16 X .295 API 5L X65, FBE, DOM , BXB, MTRS	302
	16 X .281 ERW A500, BARE, BXB/BXSQ	197
14	14 X .625 DSAW, SURPLUS STRUCTURAL BARE	218
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	1,150
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,928
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665

the

NOVEMBER 2022

BIG

List

800-764-7473

bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
14	14 X .500 ERW, SURPLUS, BARE	561
	14 X .375 ERW API X42/X52, BARE/BLK LAQ, IMP, MTRS	274
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	211
	14 X .375 GALVANIZED	760
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	252
	12 3/4 X .625 ERW, STRUCTURAL, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB/SQXSQ	717
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM , MTRS	1,285
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB, MTRS	283
	12 3/4 X .500 ERW, SURPLUS, FBE, MIXED ENDS	478
	12 3/4 X .500 GALVANIZED	810
	12 3/4 X .500 SEAMLESS A53 B/A106, BLK LAQ	210
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, MTRS	299
	12 3/4 X .375 API 5L X42-X65, SURPLUS, BARE, MTRS	357
	12 3/4 X .375 API X42/X52/X60/X65, SURPLUS, CLEANED BARE	741
	12 3/4 X .375 GALVANIZED	405
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , PEB, MTRS	319
	12 3/4 X .330 API 5L X52, SURPLUS, FBE, MTRS	376
	12 3/4 X .312 A252 GR 2/3, BARE, DOM , PEB, MTRS	1,061
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	3,928
	12 3/4 X .311 ERW SCA Z245.1 GR 359 CAT II, IMP, BXB, MTRS	1,592
	12 3/4 X .281 A252 GR 2/3, NEW, BARE, DOM , MTRS	1,152
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, DOM , BXB, MTRS	697
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, MTRS	4,925
	12 3/4 X .250 ERW, STRUCTURAL, SURPLUS, FBE, TCXTC, MW	501
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,839
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	700
	12 3/4 X .250 ERW, SURPLUS, FBE	432
	12 3/4 X .250 USED, BARE, SLURRY LINED	468

the

NOVEMBER 2022

BIG

List

800-764-7473

bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
12	12 3/4 X .219 API 5L X52/X60, SURPLUS, FBE, MTRS	337
	12 3/4 X .219 ERW API X42 X52, SURPLUS, ARO, BXB	324
11	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
10	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, MTRS	293
	10 3/4 X .719 SEAMLESS, API, SURPLUS, BARE	329
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, MTRS	347
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM , MTRS	3,702
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	335
	10 3/4 X .500 ERW, STRUCTURAL, BARE	3,035
	10 3/4 X .500 GALVANIZED	413
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	782
	10 3/4 X .365 ERW, ARO/FBE, MIXED ENDS	333
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	2,577
	10 3/4 X .365 ERW, SURPLUS, BARE, SQXSQ/SQXTC	417
	10 3/4 X .365 ERW, SURPLUS, BXB	666
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, DOM , BXB, MTRS	1,369
	10 3/4 X .312 STRAIGHT SEAM A252, BARE, DOM , MTRS	474
	10 3/4 X .307 ERW, SURPLUS, 3LPP	504
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .219 ERW API 5L X52, FBE	306
10 3/4 X .165 #1 ERW USED A53 GR B, ROLL GROOVED ENDS	38,500	
9	9 5/8 X .472 SURPLUS, BARE CASING	297
	9 5/8 X 36# USED, CASING, BARE/BLK LAQ	1,756
	9 5/8 NEW 40# CASING, BLK LAQ	782
8	8 5/8 X .625 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	136
	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	2,283
	8 5/8 X .438 - .450 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	374
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, MTRS	966
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,400
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	563
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,885
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	3,980
	8 5/8 X .322 ERW, SURPLUS, PRITEC/FOAM	565
8 5/8 X .322 GALVANIZED	2,603	

the

NOVEMBER 2022

BIG

List

800-764-7473
bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
8	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	769
	8 5/8 X .250 ERW API X42/X52, SURPLUS, ARO/FBE, BXB	2,313
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW, SURPLUS, PRITEC	696
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	2,400
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	2,986
	8 5/8 X .219 ERW, SURPLUS, BARE, BXSQ/SQXSQ	1,776
	8 5/8 X .219 STRUCTURAL, SURPLUS, BARE	669
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	982
	8 5/8 X .188 ERW, SURPLUS FBE	1,043
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	2,215
7	7 X .250 ERW, SURPLUS, BARE, SQXSQ	753
	7 X .188 ERW, SURPLUS, BARE/BLK LAQ, SQXSQ/SQXTC	495
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	637
6	6 5/8 X .432 SURPLUS, BARE, TCXTC	604
	6 5/8 X .250 ERW ID SEAM, SURPLUS, BARE, MIXED ENDS	283
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ	435
	6 5/8 X .125 -.134 ERW, SURPLUS, BARE, SQXSQ	587
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	1,533
5	5 9/16 X .375 SEAMLESS A333 GR 6, SURPLUS, BLK LAQ	456
	5 9/16 X .375 SEAMLESS A106, BLK LAQ, IMP, MTRS	1,902
	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
4	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .437 SEAMLESS, NEW, SURPLUS, FBE	786
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	2,085
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	6,956
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,743
	4 1/2 X .237 X 21' A53 GR A, BLK, IMP, T&C, MTRS	3,603
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	1,058
3	3 1/2 (4 OD) X .218 ERW SECONDARY BARE TUBING	1,086
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	2,315
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE	3,051
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,069
	3 1/2 X .254 X 31.5' AVG, USED	5,175
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804

the

NOVEMBER 2022

BIG

List

800-764-7473
bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
3	3 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	2,572
	3 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, M&M DOM , BXB, MTRS	13,231
	3 X .300 ERW A53 GR B, BLK LAQ, IMP, MIXED ENDS, MTRS	3,066
	3 X .300 ERW, SURPLUS, BARE	958
	3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430
	3 X .216 ERW, SECONDARY, BARE	1,115
	3 X .216 X 21' A53 A, GALVANIZED, T&C, IMP (14 PCS PER BUNDLE)	734
	3 X .216 X 21' A53 A, BLK LAQ, T&C, IMP (14 PCS PER BUNDLE)	1,554
	3 SCH 40 X 21' A53 GR A, BLK, BXB, IMP, MTRS	945
	3 SCH 10 (.120) ERW, SECONDARY, BARE, SQXSQ	3,835
2	2 7/8 X .276 ERW A53 GR A, BARE	1,356
	2 7/8 X .217 USED, FIBERGLASS LINED	1,248
	2 7/8 X .217 X 31.5' AVG, USED	4,056
	2 1/2 #1 31.5' AVG, USED, TUBING, LINED, BARE, T&C	2,678
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	3,438
	2 1/2 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS	2,219
	2 1/2 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,389
	2 1/2 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , T&C, MTRS	2,835
	2 1/2 SCH 40 ERW A53 B, GALVANIZED, M&M DOM , BXB, MTRS	1,428
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,807
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	9,608
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296
	2 3/8 X .140 X 32' NEW	7,136
	2.16 X .154 32' AVG LENGTHS, USED, OCTG	4,980
	2 X .218 SEAMLESS A106 GR B, BARE/BLK LAQ	1,029
	2 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS	11,445
	2 X 4.7# X 31.5' USED, TUBING, BARE, TH&C, LIGHT PITTING	2,094
	2 X .154 X 21' A53 A, GALVANIZED, T&C, IMP, MTRS	2,321
	2 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , BXB, MTRS	2,499
	2 X .154 ERW, SURPLUS, BARE/BLK LAQ, BXB/BXSQ	10,016
	2 X .120 STRUCTURAL BARE RUSTY X 24' (37 PCS PER BUNDLE)	1,464
2 X .109 ERW, SECONDARY, BARE, SQXSQ	2,072	
1	1.9 X .110 X 24' NEW, SQXSQ	1,914
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	33,005
	1.66 X .120 X 21' NEW, TUBING, BARE	5,508

the

NOVEMBER 2022

BIG

List

800-764-7473

bisonpipe.com



OD SIZE	STOCK DESCRIPTION	FOOTAGE
1	1.66 X .083 X 20' 14 GA, NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)	43,700
	1.66 X .083 X 24' 14 GA, NEW	55,235
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C	2,762
	1 1/2 X .145 A53 GR A, GALVANIZED, T&C, IMP, MTRS (36 PCS PER BUNDLE)	1,512
	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,029
	1 1/2 X .083 ERW, 14 GA, SURPLUS, BARE, SQXSQ	12,985
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	1,575
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	1,407
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , T&C, MTRS	4,158
	1 1/4 X .140 USED, GALVANIZED, SPRINKLER, SHORTS	1,175
	1 1/4 X .109 X 20' BARE, SWEDGED	4,172
	1 1/4 X .083 14 GA, 20', SURPLUS, IMP, SQXSQ	26,460
	1 1/4 X .083 14 GA X 20' 24', NEW, (127 PCS PER BUNDLE)	28,432
	1 X .179 ERW A53 GR A/F, GALVANIZED, DOM , BXB, MTRS	1,071
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,586
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , T&C, MTRS	9,792
	1 X .133 A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,260
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, MTRS	1,575
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
1 X .133 SEAMLESS A106 GR B, NEW, FBE, M&M DOM , MTRS	8,512	
3/4	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	3,417
	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS	2,856
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	2,037
	3/4 SCH 40 (.113) ERW A53 GR F, NEW, GALVANIZED, M&M DOM , T&C, MTRS	1,260
	3/4 SCH 40 (.113) A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS	3,087
	3/4 X .065 ERW, SURPLUS, BARE, SQXSQ	20,452
1/2	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, DOM , BXB, MTRS	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , MTRS	4,641
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ, MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326
	1/2 X SCH 40 (.109) A53 GR A, SURPLUS, BLK LAQ, T&C	2,625
	1/2 X SCH 40 (.109) A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X SCH 40 (.109) ERW A53 GR F, NEW, FBE, DOM , TXT, MTRS	1,092