



800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
54	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
48	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	312
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 SPIRALWELD, SECONDARY, BARE, MIXED ENDS	1,148
	48 X .741 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXSQ	80
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, MTRS	61
	48 X .598 SPIRALWELD, A252 GR 3, ARO	155
	48 X .598 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, IMP, MTRS	107
	48 X .598 SPIRALWELD A252 GR 3, BARE, M&M DOM , BXSQ, MTRS	251
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM , MIXED ENDS, MTRS	1,938
48 X .539 SPIRALWELD A252 GR 3, FBE, M&M DOM , MIXED ENDS, MTRS	78	
42	42 X .888 STRAIGHT SEAM, BARE, BXTC, MTRS	74
	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	281
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	550
	42 X .750 SURPLUS, FBE, ROUGH ENDS	111
	42 X .740 X70 SPIRALWELD, ARO/FBE, IMP, BXB	325
	42 X .660 DSAW, BARE, SQXSQ	483
	42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW	162
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	6,103
	42 X .617 X70 SPIRALWELD, SURPLUS, ARO/FBE, DOM , BXB/BXTC, 0-2 MW	1,871
	42 X .551 API 5L X70, FBE, DOM , BXB, MTRS	136
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	580
	42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	156
	42 X .375 DSAW API 5L X42, FBE, IMP, BXB	145
	42 X .375 ERW, SURPLUS, PRITEC, BXB	122
42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	1,324	
42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220	
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	3,683
	36 X .875 DSAW API X70, BARE, MTRS	279
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MW	188
	36 X .750 DSAW API 5L X65, RED FBE, MTRS	215
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .748 SPIRALWELD API X70, ARO/FBE, MTRS	9,403
	36 X .688 SPIRALWELD, USED FLOWLINER	198
	36 X .634 API 5L X70, ARO	376

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	190
	36 X .625 A252 GR 3, BARE, DOM , MTRS	1,192
	36 X .625 SPIRALWELD A252 GR 3, BARE, M&M DOM , MTRS	164
	36 X .618 SPIRALWELD API X70, FBE, MTRS	889
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,953
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	453
	36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE	259
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE MTRS	303
	36 X .500 SPIRALWELD, SURPLUS FBE, 0-3 MW	133
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,348
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM , MIXED ENDS, MTRS	28,739
	36 X .465 SPIRALWELD API X70 FBE, MTRS	62,442
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	247
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	6,138
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	352
36 X .412 USED, FBE, PICKING EYES	210	
36 X .375 DSAW API 5L X42, FBE, IMP MTRS	410	
36 X .375 DSAW API 5L X42, SURPLUS, ARO/FBE, DOM , BXB	710	
34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
30	30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	212
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, M&M DOM , MTRS	8,174
	30 X .625 DSAW API 5L X70 ARO, M&M DOM , BXB, MTRS	475
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	585
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS BARE	214
	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	710
	30 X .500 SPIRALWELD X70, ARO/FBE, IMP, BXB, MTRS	197
	30 X .441 DSAW API 5L X70, FBE, BERG, DOM , BXB, 0- 1 MW, MTRS	814
	30 X .441 SPIRALWELD A252, BARE, DOM MFR ONLY, SQXSQ, MTRS	1,307
	30 X .441 SPIRALWELD A252, BARE, DOM , BXSQ, SHORTS	295
	30 X .441 SPIRALWELD A252, BARE, DOM	507

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
30	30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	230
	30 X .625 DSAW API X70 CLAD, DOM , MTRS	10,394
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	579
	30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,681
	30 X .562 DSAW API 5L X65, ARO/FBE, IMP, MTRS	106
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	684
	30 X .441 SPIRALWELD API 5L X70, BARE	252
	30 X .441 DSAW API 5L X70, FBE, MTRS	10,729
	30 X .441 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	4,045
	30 X .375 DSAW, USED, SHORTS/CULVERT, BLK RESIDUE, 0-2 MW	3,265
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	3,927
	30 X .375 SPIRALWELD, API 5L X70, SURPLUS, FBE, 0-2 MW	185
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,920
	28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS
24	24 X 1.219 SEAMLESS A333 GR 6, BARE, MTRS	91
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	441
	24 X .625 ERW API 5L X65, FBE	690
	24 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,152
	24 X .625 USED BARE, 0-1 MW	466
	24 X .562 ERW SURPLUS, CLEANED BARE	184
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	1,020
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	169
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM , BXB	2,271
	24 X .500 ERW, SURPLUS, BARE	323
	24 X .500 SPIRALWELD, SRL, USED, BARE, TCXTC, MTRS	2,247
	24 X .500 SPIRALWELD, USED, BARE	170
	24 X .500 SPIRALWELD, USED, BARE, TCXTC, MTRS	5,101
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 ERW API 5L X52 X70, FBE, DOM , BXB, MTRS	729
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	1,764
	24 X .375 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	2,242
	24 X .375 SURPLUS, BARE	757
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,153
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	503
	24 X .350 USED, FBE, WELDMENTS, 0-2 MW	313
	24 X .350 USED, FBE, WELD TABS, 1-2 MW	176
	22	22 X .669 API 5L X52, SURPLUS, BARE/BLK LAQ, IMP

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
22	22 X .625 API X52, SURPLUS, BARE/BLK LAQ	411
	22 X .375 API 5L X46, BARE, IMP W/MTRS	4,454
	22 X .281 ERW API X70, SURPLUS, FBE, BXB	670
	22 X .281 SURPLUS, FBE, BXB	8,273
20	20 X .812 API X56, NEW, MIXED ENDS, IMP,	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .625 ERW, ID SM, SURPLUS, BARE,BXSQ/BXB, 0-2 MW	171
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	354
	20 X .594 ERW API 5L X65, FBE	1,124
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 X70, SURPLUS, FBE, BXB,	363
	20 X .500 A252 GR 2/3, BARE, DOM , MTRS	4345
	20 X .500 A252 GR 3, BARE, DOM , BXB, MTRS	974
	20 X .500 API 5L X70, SURPLUS, FBE	399
	20 X .500 ERW X60, FBE, BXB, MTRS	167
	20 X .500 SEAMLESS A333 API5L X52, ARO, BXB	403
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 USED, SURPLUS, ARO	811
	20 X .438 ERW API 5L X70, SURPLUS, FBE	439
	20 X .375 A252 GR 2/3, BARE, DOM	10,000
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	838
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW, API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, SURPLUS, BARE, 1-2 MW	5,500
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	281
	20 X .375 ERW API 5L X65, ARO/FBE, M&M DOM , BXB, MTRS	10,068
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	1,291
	20 X .312 A252 GR 2/3, BARE, BXB, MTRS	1,298
20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248	
20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	1,220	
18	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	349
	18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW	2,545
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	8,115

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
16	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122
	16 X .656 SEAMLESS, FBE	151
	16 X .625 A252 GR 3, BARE, DOM , MTRS	313
	16 X .625 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,085
	16 X .563 A252 GR 3, BARE, IMP, MTRS	347
	16 X .500 A252 GR 2/3, BARE, DOM , MTRS	528
	16 X .500 A252, SURPLUS, BARE	197
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	4,000
	16 X .500 ERW API 5L X60, ARO/FBE, DOM , BXB, MTRS	1,116
	16 X .500 GALVANIZED	375
	16 X .500 LIMITED SERVICE, BARE, M&M DOM , MTRS	254
	16 X .500 SURPLUS, BARE	618
	16 X .375 A252 GR 2/3, BARE, DOM	6,700
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	601
	16 X .375 ERW, SURPLUS, RED FBE, BXB	419
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	223
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,673
	16 X .312 SURPLUS, BARE	204
	16 X .295 API 5L X65, FBE, DOM , BXB, MTRS	260
16 X .250 A252 GR2/3, BARE, DOM , BXB, MTRS	8,130	
16 X .250 A252 GR 2/3, BARE, BXB, DOM , MTRS	1,725	
16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	2,524	
16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	8,614	
14	14 X .625 DSAW SURPLUS STRUCTURAL BARE	218
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	926
	14 X .600 SEAMLESS API 5L X65, CLEANED BARE, M&M DOM , MIXED ENDS, MTRS	165
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,561
	14 X .500 A252 GR 2, BLK LAQ, IMP, MTRS	130
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665
	14 X .500 ERW, SURPLUS, BARE, MIXED ENDS	698
	14 X .438 ERW, SURPLUS, BARE, DOM , SQXSQ	495
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	211
14 X .375 GALVANIZED	760	
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	230
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM , 0-1 MW MTRS	825
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB, MTRS	283
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	367
	12 3/4 X .500 SEAMLESS A53 B/A106, BLK LAQ	210
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, MTRS	14,722
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, MTRS	197
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .375 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,422
	12 3/4 X .375 ERW A53 B GALVANIZED, IMP, MTRS	191
	12 3/4 X .375 ERW A53 B GALVANIZED, DOM , MTRS	211
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	534
	12 3/4 X .375 SURPLUS API X42/X52/X60/X65 CLEANED BARE	741
	12 3/4 X .344 A252 GR 3, BARE, DOM , MTRS	232
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , PEB, MTRS	319
12	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	2,532
	12 3/4 X .312-.330 ERW, STRUCTURAL, SURPLUS, RED FBE	191
	12 3/4 X .312 A252 GR 2/3, BARE, DOM , PEB, MTRS	841
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	2,311
	12 3/4 X .312 ERW API X52 X56, FBE, DOM , BXB, MTRS	280
	12 3/4 X .281 A252 GR 2/3, NEW, BARE, DOM , MTRS	242
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, FBE, BXB	202
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, DOM , BXB, MTRS	697
	12 3/4 X .250 ERW API 5L, BLK LAQ, IMP	290
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, MTRS	4,000
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,637
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, SURPLUS, FBE	432
	12 3/4 X .250 ERW, USED, BARE, SQXSQ, 1-2 MW	243
	12 3/4 X .250 ERW X52 359 GR, SURPLUS, FBE, IMP, BXB, MTRS	762
	12 3/4 X .250 LIMITED SERVICE, BARE	626

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .250 USED, BARE, SLURRY LINED	449
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,987
11	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
10	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, MTRS	146
	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	329
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, MTRS	347
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	335
	10 3/4 X .500 ERW, STRUCTURAL, BARE	428
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,763
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	1,500
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM , MTRS	3,702
	10 3/4 X .500 GALVANIZED, MIXED ENDS	253
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732
	10 3/4 X .469 SEAMLESS API5L X65, ARO/FBE, BXB, MTRS	273
	10 3/4 X .469 SEAMLESS API5L X65, BARE, BXB	223
	10 3/4 X .365/.375 SURPLUS ERW API 5L X52 FBE IMP BXB	687
	10 3/4 X .365 ERW, ARO/FBE, MIXED ENDS	333
10 3/4 X .365 ERW, SURPLUS, 3LPP	666	
10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	1,866	
10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504	
10 3/4 X .365 SEAMLESS API 5L X-42, FBE, DOM , BXB, MTRS	1,369	
10 3/4 X .312 STRAIGHT SEAM A252, BARE, DOM , MTRS	474	
10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430	
10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	37,200	
9	9 5/8 X 36# USED, CASING, BARE/BLK LAQ	1,435
	9 5/8 X 40# NEW, CASING, BLK LAQ	758
8	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	712
	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .438 SEAMLESS API5L X60, BARE, IMP, BXB, MTRS	839
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,381
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	523
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,885
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	7,677
	8 5/8 X .322 ERW, SURPLUS, PRITEC/FOAM	565
	8 5/8 X .322 GALVANIZED	1,613

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
8	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	769
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW, SURPLUS, PRITEC	670
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,023
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	2,882
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,546
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	874
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	5,107
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	3,907
7	8 5/8 X .188 ERW, SURPLUS, FBE	403
	7 X 23# #1 USED TUBING TXC	44
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	3,548
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	1,161
6	7 X .188 ERW, SURPLUS, BARE/BLK LAQ, SQXSQ/SQXTC	209
	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 USED, COAL TAR EPOXY	412
	6 5/8 X .280 ERW, SURPLUS, BARE, MIXED ENDS, 0-2 RW/MW	496
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,511
	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	2,091
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	1,255
	6 5/8 X .134 - .188 USED, COAL TAR	7,274
5	6 X .188 ERW, SURPLUS, BARE, SQXSQ	2,957
	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
4	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	1,224
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, IMP, T&C, MTRS	6,027
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, MTRS	3,477
	4 1/2 X .237 ERW, A53 GR A, GALVANIZED, IMP, BXB, MTRS	588
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT,	6,415
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	1,058
3	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	2,572
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,844
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	1,966
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, M&M DOM , BXB, MTRS	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,394
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,255
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,069

the BIG LIST *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
3	3 1/2 X .300 ERW, SURPLUS, BARE	958
	3 1/2 X .300 SEAMLESS, A106 GR B X42, FBE, IMP, BXB, MTRS	1,295
	3 1/2 X .254 X 31.5' AVG, USED	10,578
	3 1/2 X .216 ERW, SECONDARY, BARE	1,115
	3 1/2 X .216 X 21' A53 GR A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	2,058
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430	
2	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS	2,219
	2 7/8 X .276 ERW A53 GR A, BARE	1,214
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,333
	2 7/8 X .217 X 31.5' AVG, USED	59,438
	2 7/8 X .217 X 31.5' AVG, USED, T&C	1,575
	2 7/8 X .217 #1 31.5' AVG, USED, TUBING, LINED, BARE, T&C	2,678
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	15,194
	2 7/8 X .217 USED, FIBERGLASS LINED	1,248
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , T&C, MTRS	2,835
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,807
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	1,513
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS	10,689
	2 3/8 X 4.7 X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	15,355
	2 3/8 X .190 X 31.5' AVG, USED	62,238
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , BXB, MTRS	2,457
	2 3/8 X .154 X 21' A53 A, GALVANIZED, T&C, IMP, MTRS	2,216
	2 3/8 X .140 X 32' NEW	8,736
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555
2.16 X .154 32' AVG, USED, OCTG	1,837	
2 X .120 X 24' STRUCTURAL, BARE, RUSTY (37 PCS PER BUNDLE)	1,272	
1	1.9 X .110 X 24' NEW, SQXSQ	1,914
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	26,328
	1.66 X .120 X 21' NEW, TUBING, BARE	2,865
	1.66 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ	24,521
	1.66 X .083 X 20' 14 GA, NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)	20,980
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C	3,455

the **BIG LIST** *May 2023*

PICTURED: 48" X .538

800-764-7473 • BisonPipe.com

OD	DESCRIPTION	FOOTAGE
1	1 1/2 X .145 A53 GR A, GALVANIZED, T&C, IMP, MTRS (36 PCS PER BUNDLE)	1,491
	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,722
	1 1/4 X .140 USED, GALVANIZED, SPRINKLER, SHORTS	1,032
	1 1/4 X .083 X 20' 14 GA, BARE, IMP, SQXSQ	10,580
	1 1/4 X .083 X 20' 14 GA NEW, BARE, TUBING (127 PCS PER BUNDLE)	25,978
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	1,701
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	1,512
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , T&C, MTRS	3,762
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,260
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , T&C, MTRS	9,792
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,268
3/4	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, M&M DOM , MTRS	8,470
	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	2,941
	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	2,037
	3/4 X .113 SCH 40, A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS	2,100
	3/4 X .113 SCH 40, ERW A53 GR F, NEW, GALVANIZED, M&M DOM , T&C, MTRS	1,260
1/2	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS	2,856
	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, DOM , BXB, MTRS	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , MTRS	4,641
	1/2 X .109 SCH 40, A53 GR A, SURPLUS, BLK LAQ, T&C	2,310
	1/2 X .109 SCH 40, A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X .109 SCH 40, ERW A53 GR F, NEW, FBE, DOM , TXT, MTRS	1,071

Don't see what
you're looking for?

Call Today!

800-764-7473