

*the* **BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>54</b>	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, <b>MTRS</b>	100
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, <b>MTRS</b>	14
<b>48</b>	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	273
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, <b>MTRS</b>	120
	48 X .750 SPIRALWELD, SECONDARY, BARE, MIXED ENDS	374
	48 X .750 DSAW, SURPLUS, GALVENIZED, INXB	18
	48 X .750 API X42, SURPLUS, BARE, BXSQ	26
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, <b>MTRS</b>	61
	48 X .539 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	1,261
	48 X .539 SPIRALWELD A252 GR 3, FBE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	78
<b>42</b>	42 X .888 STRAIGHTSEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	122
	42 X .750 SPIRALWELD, USED, BARE, BXB, <b>MTRS</b>	31
	42 X .750 SURPLUS, FBE, ROUGH ENDS	111
	42 X .740 X70 SPIRALWELD, ARO/FBE, IMP, BXB	325
	42 X .660 DSAW, BARE, SQXSQ	105
	42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW	162
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	5,304
	42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB/BXTC, 0-2 MW	543
	42 X .617 SPIRALWELD X70, SURPLUS, FBE, <b>DOM</b> , 2 MW	161
	42 X .555 SPIRALWELD, SURPLUS, FBE	5,368
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	109
	42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, <b>MTRS</b>	924
	42 X .375 ERW API 5L X42, FBE, IMP, BXB, <b>MTRS</b>	120
<b>36</b>	36 X 1.500 X56, BARE, <b>MTRS</b>	630
	36 X 1.00 STRAIGHT SEAM API X70, FBE, <b>MTRS</b>	591
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MW	188
	36 X .750 DSAW API 5L X65, RED FBE, <b>MTRS</b>	195
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .750 SPIRALWELD A252 GR 3, BARE/PAINT, <b>MTRS</b>	70
	36 X .748 SPIRALWELD API X70, ARO, <b>MTRS</b>	3,573
	36 X .748 SPIRALWELD API X70, BARE, <b>MTRS</b>	189



*the*  
**BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>36</b>	36 X .748 SPIRALWELD API X70, FBE, <b>MTRS</b>	3,308
	36 X .688 DSAW API X65, ARO/FBE, <b>DOM</b> , BXB, <b>MTRS</b>	370
	36 X .688 SPIRALWELD, USED, FLOWLINER, PITTING, ROUGH ENDS	198
	36 X .634 ERW X70 CSA GR 483 ARO, SQXSQ, 1 MW	376
	36 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	631
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API X70, BARE, <b>MTRS</b>	113
	36 X .618 SPIRALWELD API X70, FBE, <b>MTRS</b>	29
	36 X .594 DSAW API X65, ARO/FBE, <b>DOM</b> , BXB, <b>MTRS</b>	878
	36 X .579 STRAIGHT SEAM CSA Z245.1-8 GR 483 CAT II, FBE, IMP, BXB, 0-1 MW, <b>MTRS</b>	23,526
	36 X .572 SPIRALWELD API X70, BARE, <b>MTRS</b>	352
	36 X .572 SPIRALWELD API X70, FBE, <b>MTRS</b>	3,396
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .504 SPIRALWELD A252, BARE, IMP, <b>MTRS</b>	453
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, BXB, <b>MTRS</b>	194
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLACK ID LINER	161
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, <b>MTRS</b>	600
	36 X .465 SPIRALWELD API X70, BARE, <b>MTRS</b>	287
	36 X .465 SPIRALWELD API 5L X70, FBE, <b>DOM</b> , MIXED ENDS, <b>MTRS</b>	80,014
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 SPIRALWELD X70 FBE, <b>MTRS</b>	7,621
	36 X .465 STRAIGHT SEAM API 5L X70 483 CAT 2 GR, FBE, IMP	40,000
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	1,495
	36 X .429 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , SQXSQ, 0-1 MW, <b>MTRS</b>	368
	36 X .412 STRAIGHT SEAM, SURPLUS, FBE, MIXED ENDS, 0-1 MW	293
	36 X .412 USED, FBE, PICKING EYES, ROUGH ENDS	210
	36 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, <b>MTRS</b>	120
	36 X .375 DSAW API 5L X42, FBE, IMP, BXB, <b>MTRS</b>	208
	36 X .375 DSAW API 5L X42, SURPLUS, FBE, <b>DOM</b> , BXB	141
<b>34</b>	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, <b>MTRS</b>	1,461
	34 X .505 ERW API 5L X60, FBE, BERG, <b>DOM</b> , BXB, <b>MTRS</b>	312

*the*  
**BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>30</b>	30 X .656 SPIRALWELD API X70, FBE, <b>DOM</b> , BXTC, <b>MTRS</b>	212
	30 X .625 API 5L X70, ARO/FBE, IMP, <b>MTRS</b>	230
	30 X .625 DSAW API 5L X70 ARO, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	162
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, DURABOND, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	573
	30 X .625 DSAW API X70, PIPECLAD, <b>MTRS</b>	917
	30 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , MIXED ENDS, <b>MTRS</b>	1,128
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE, BXB	215
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, ROUGH ENDS, 0-1 MW	137
	30 X .618 DSAW API 5L X70, ARO, <b>M&amp;M DOM</b> , <b>MTRS</b>	1,177
	30 X .562 DSAW API 5L X70, FBE, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	630
	30 X .441 DSAW API 5L X70, FBE, <b>MTRS</b>	619
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b> , BXSQ, SHORTS	270
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b> , BXSQ	298
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b> MAN ONLY, SQXSQ, <b>MTRS</b>	413
	30 X .441 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	3,753
	30 X .441 SPIRALWELD API 5L X70, FBE, <b>MTRS</b>	566
	30 X .429 SPIRALWELD API 5L X65, FBE, <b>MTRS</b>	6,000
	30 X .429 SPIRALWELD API 5L X70, FBE, <b>DOM</b> , <b>MTRS</b>	180
	30 X .375 DSAW, USED, CULVERT, BLK RESIDUE, 0-2 MW	4,328
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,201
<b>28</b>	28 X .750 DSAW API 5L X56, BARE, IMP, <b>MTRS</b>	1,891
<b>26</b>	26 X .375 ERW API 5L X65, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	100
<b>24</b>	24 X .750 SPIRALWELD, USED, BARE, <b>DOM</b> MAN ONLY, TCXTC	50
	24 X .688 ERW API 5L X52, BARE, IMP, BXB, <b>MTRS</b>	321
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, <b>MTRS</b>	72
	24 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	25
	24 X .625 USED, BARE, PITTING, 0-1 MW	36
	24 X .562 ERW A252 GR 3, BARE, IMP, <b>MTRS</b>	651
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW A252 GR 3, BARE, IMP, BXB	150
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB	608
	24 X .500 ERW API 5L X70, ARO, IMP, BXB, <b>MTRS</b>	2,326
	24 X .500 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-2 MW	175

*the* **BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>24</b>	24 X .500 ERW, SURPLUS, BARE	228
	24 X .500 SPIRALWELD, SRL, USED, BARE, TCXTC, <b>M&amp;M DOM, MTRS</b>	2,232
	24 X .500 SPIRALWELD, USED, BARE, BXB	157
	24 X .375 API 5L X65 GR, BARE/FBE, <b>M&amp;M DOM, BXB, MTRS</b>	1,178
	24 X .375 API 5L X65 GR, FBE, BXB, <b>M&amp;M DOM, MTRS</b>	3,427
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 ERW, SPIRALWELD, SURPLUS, BARE, MIXED ENDS, 0-1 MW	597
	24 X .375 ERW, USED, PICKING EYES, TXT	952
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	873
<b>22</b>	22 X .669 API 5L X52, SURPLUS, BARE/BLK LAQ, IMP	109
	22 X .625 API X52, SURPLUS, BARE/BLK LAQ, SQXSQ	411
	22 X .375 SPIRALWELD DSAW API 5L X46, BARE, IMP, <b>MTRS</b>	160
	22 X .375 SPIRALWELD DSAW API 5L X46, BARE, IMP	4,310
	22 X .281 SURPLUS, FBE, BXB	6,007
<b>20</b>	20 X .812 X56, BARE, <b>MTRS</b>	2,575
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, <b>MTRS</b>	142
	20 X .625 ERW A252 GR 2/3, BARE, <b>M&amp;M DOM, MTRS</b>	712
	20 X .625 ERW API 5L X65, ARO, IMP, <b>MTRS</b>	716
	20 X .625 ERW, ID SM, SURPLUS, BARE, BXSQ/BXB, 0-2 MW	171
	20 X .594 ERW API 5L X65, FBE	718
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 X70, SURPLUS, FBE, BXB	363
	20 X .500 A252 GR 3, BARE, <b>DOM, BXB, MTRS</b>	813
	20 X .500 A252 GR 2/3, BARE, <b>DOM, BXB, MTRS</b>	6,364
	20 X .500 API 5L X70, SURPLUS, FBE, BXB	399
	20 X .500 ERW, SURPLUS, ARO/FBE, BXB/BXTC	675
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
	20 X .500 ERW X65, SURPLUS, ARO, BXB	146
	20 X .500 ERW X60, FBE, BXB, <b>MTRS</b>	167
	20 X .500 SEAMLESS A333 API5L X52, ARO, BXB	403
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, <b>DOM, BXB, MTRS</b>	205
	20 X .500 SEAMLESS, SURPLUS, ARO, BXB	152
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613

*the* **BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>	
<b>20</b>	20 X .500 USED, SURPLUS, ARO	811	
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	191	
	20 X .438 ERW API 5L X70, SURPLUS, FBE	148	
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	441	
	20 X .375 A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	17,152	
	20 X .375 API 5L, ARO, <b>M&amp;M DOM</b> , BXS, <b>MTRS</b>	298	
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353	
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323	
	20 X .300 - .375 #2, USED, BARE, HVY PITTING, TCXTC, 0-1 MW	1,486	
	20 X .312 ERW A252 GR 3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	974	
	20 X .294 ERW API 5L X70, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	249	
	20 X .281 API 5L X65, FBE, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	602	
	<b>18</b>	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE	199
		18 X .625 ERW, SURPLUS, ID SEAM, BARE, 2-5 MW	2,545
18 X .562 ERW, SURPLUS, BARE, BXB		230	
18 X .375 ERW API 5L X42 A53 B, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>		7,428	
18 X .375 ERW API 5L X52/X42, FBE, IMP, BXB, <b>MTRS</b>		2,140	
18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW		423	
<b>16</b>	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122	
	16 X .688 SURPLUS, CLEANED BARE	98	
	16 X .656 SEAMLESS, FBE	151	
	16 X .625 A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	179	
	16 X .625 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, <b>MTRS</b>	1,045	
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400	
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	551	
	16 X .500 ERW A252 GR 3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	334	
	16 X .500 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	1,908	
	16 X .500 ERW API 5L X60, ARO/FBE, <b>DOM</b> , BXB, <b>MTRS</b>	864	
	16 X .500 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	301	
	16 X .500 GALVANIZED, MIXED ENDS	309	
	16 X .500 LIMITED SERVICE, BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	254	
	16 X .500 SURPLUS, BARE, MIXED ENDS	618	
	16 X .375 A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	12,196	
16 X .375 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	5,054		



*the*  
**BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>16</b>	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	451
	16 X .375 SURPLUS, GALVANIZED, MIXED ENDS	291
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,273
	16 X .312 ERW, SURPLUS, RED FBE, BXB	419
	16 X .250 A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	12,855
	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	1,566
	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	4,434
<b>14</b>	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE	180
	14 X .600 SEAMLESS API 5L X65, BARE, <b>M&amp;M DOM</b> , <b>MTRS</b>	1,051
	14 X .600 SEAMLESS API 5L X65, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	2,644
	14 X .500 ERW API 5L X52, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	4,256
	14 X .500 ERW API 5L X52, POWERCRETE, <b>DOM</b> , BXB, <b>MTRS</b>	839
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665
	14 X .500 ERW, SURPLUS, BARE, BXB	179
	14 X .500 ERW, USED, BARE, TCXTC	277
	14 X .438 ERW, SURPLUS, BARE, <b>DOM</b> , SQXSQ	495
	14 X .375 ERW, LIMITED SERVICE, BARE, <b>DOM</b> , BXB	1,289
	14 X .375 GALVANIZED, MIXED ENDS, <b>MTRS</b>	760
	14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ	1,192
	<b>12</b>	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ
12 3/4 X .750 SEAMLESS, SURPLUS, BARE, BXINV		58
12 3/4 X .688 - .720 SEAMLESS A106B A53, SURPLUS, BARE, BXB		466
12 3/4 X .650 SEAMLESS API X65, BARE, PITTING		525
12 3/4 X .625 A500, SURPLUS, BARE, BXB		420
12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE, SQXSQ		230
12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ		838
12 3/4 X .562 ERW, SURPLUS, BARE, BXB		599
12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>		1,885
12 3/4 X .500 ERW A252 GR 3, BARE, <b>M&amp;M DOM</b> , 0-1 MW, <b>MTRS</b>		665
12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC		372
12 3/4 X .500 GALVANIZED, MIXED ENDS		634
12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, <b>MTRS</b>		12,276
12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, BXB, <b>MTRS</b>		5,463
12 3/4 X .375 ERW API 5L X52, ARO, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>		5,741



*the* **BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>12</b>	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, ID FLOWLINER, ZAP LOCK ENDS	1,092
	12 3/4 X .375 ERW, SURPLUS, BARE, SLITS, MIXED ENDS	471
	12 3/4 X .375 ERW, SURPLUS, FBE	412
	12 3/4 X .375 LIMITED SERVICE, MW	430
	12 3/4 X .330 ERW, SURPLUS, ARO/FBE, BXB	517
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	478
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, <b>MTRS</b>	1,723
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	982
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	5,965
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,275
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	640
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,428
	<b>11</b>	11 3/4 X .500 ERW, SURPLUS, BARE, CASING
<b>10</b>	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, <b>MTRS</b>	146
	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	85
	10 3/4 X .500 ERW A53 GR B X46 X52, IMP, <b>MTRS</b>	693
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, <b>DOM</b> , <b>MTRS</b>	2,905
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, BXB, <b>MTRS</b>	514
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	4,377
	10 3/4 X .500 SURPLUS, BARE, MIXED ENDS	557
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, <b>MTRS</b>	732
	10 3/4 X .365 - .375 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	738
	10 3/4 X .365 ERW A53 GR B, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	568
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	1,470
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	2,532
	10 3/4 X .365 ERW, SURPLUS, BXB	188
	10 3/4 X .365 ERW, SURPLUS, FBE, MIXED ENDS	569
	10 3/4 X .365 ERW, SURPLUS, ID LINER, BARE, BXB	504
	10 3/4 X .365 GALVANIZED, MIXED ENDS	1,013
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	872
	10 3/4 X .250 API X52, SURPLUS, FBE, ZAP-LOCK ENDS	1,162

*the* **BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>10</b>	10 3/4 X .250 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	558
	10 3/4 X .165 #1 ERW A53 GR B, USED, ROLL GROOVED ENDS, <b>MTRS</b>	33,340
<b>9</b>	9 5/8 40# NEW, CASING, BLK LAQ	742
	9 5/8 36# USED, CASING, BARE/BLK LAQ	1,435
<b>8</b>	8 5/8 X .500 ERW, SURPLUS, BARE	534
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	3,182
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	2,166
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 MW	13,951
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE, ID LINER, ZAP LOCK ENDS	4,745
	8 5/8 X .322 ERW, SURPLUS, BARE, MIXED ENDS	1,195
	8 5/8 X .322 ERW, SURPLUS, CLEANED BARE, BXB, <b>MTRS</b>	584
	8 5/8 X .322 GALVANIZED, MIXED ENDS	909
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	726
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW, SURPLUS, CLEANED BARE, MIXED ENDS	507
	8 5/8 X .250 ERW X65 A53 GR B, SURPLUS, FBE, BXB	7,431
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,444
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	4,700
	8 5/8 X .219 ERW, SURPLUS, FBE, BXB, <b>MTRS</b>	1,040
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	984
	8 5/8 X .188 ERW API 5L X42 X52, SURPLUS, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	518
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	4,937
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	2,616
	8 5/8 X .188 SURPLUS, BARE, BXB/BXSQ, 0-2 MW	722
<b>7</b>	7 X 23# #1 USED, TUBING, FIBER-GLASS LINED, T&C	265
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,341
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	1,596
<b>6</b>	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	684
	6 5/8 X .280 #1 USED, BARE/BLK LAQ, BXB, 0-1 MW	1,423
	6 5/8 X .280 ERW A53 GR B, SURPLUS, BARE/BLK LAQ, IMP, BXB	504
	6 5/8 X .280 ERW API X52 A53 B, USED, ARO/FBE, TCXTC	5,044
	6 5/8 X .280 ERW, SURPLUS, BLK LAQ, BXB	9,870
	6 5/8 X .280 ERW, SURPLUS, BLK LAQ	4,035





*the*  
**BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>6</b>	6 5/8 X .280 ERW, SURPLUS, GALVANIZED, BXB	11,529
	6 5/8 X .280 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	765
	6 5/8 X .280 USED, FBE	888
	6 5/8 X .156 - .219 USED, FBE, TCXTC, 1-2 MW	9,027
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	1,341
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	840
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	3,358
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	4,828
	<b>5</b>	5 9/16 X .134 A53 GR A, GALVANIZED, <b>MTRS</b>
5 1/2 X .304 ERW, BARE, CASING, MIXED ENDS		3,313
<b>4</b>	4 1/2 X .437 SEAMLESS, SURPLUS, FBE, BXB, 0-1 MW	786
	4 1/2 X .337 SEAMLESS A53 GR A/B, SURPLUS, ARO/FBE, BXB	4,697
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	795
	4 1/2 X .237 10.5# -11.6# STRUCTURAL, USED, BARE, TUBING, T&C	4,461
	4 1/2 X .237 ERW A53 GR A, GALVANIZED, IMP, BXB, <b>MTRS</b>	8,634
	4 1/2 X .237 ERW A53 GR A, SURPLUS, GALVANIZED, IMP, T&C	1,890
	4 1/2 X .237 ERW API X52, SURPLUS, FBE, RED ID LINER, BELL/GROOVE ENDS	1,855
	4 1/2 X .237 ERW, SURPLUS, BLK LAQ, BXB	4,178
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, <b>MTRS</b>	2,784
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b>	2,394
<b>3</b>	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	4,420
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, <b>MTRS</b>	1,058
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,163
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,700
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,207
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	4,767
	3 1/2 X .254 X 31.5' ERW, USED, BARE	61,110
	3 1/2 X .254 X SHORTS, USED	2,156
	3 1/2 X .216 ERW A53 GR B, SURPLUS, GALVANIZED, IMP, BXB	15,267
3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,512	
3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,898	
3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, <b>MTRS</b>	2,128	
3 1/2 X .216 ERW, SURPLUS, BARE/BLK LAQ, BXB	6,174	



*the* **BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>3</b>	3 1/2 X .216 X 21' A53 GR A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	1,827
	3 1/2 X .188 ERW API A53, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	4,205
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
	3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430
<b>2</b>	2 7/8 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	59,574
	2 7/8 #1 31.5' AVG, USED, TUBING, LINED, BARE, T&C	2,678
	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	2,205
	2 7/8 X .286 X 31.5' AVG 7.9#, USED	1,985
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, <b>MTRS</b>	2,313
	2 7/8 X .217 X 31.5' ERW, AVG, USED, BARE	125,366
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	2,835
	2 7/8 X .203 ERW, SURPLUS, BARE/BLK LAQ, T&C	5,817
	2 7/8 X .203 ERW, SURPLUS, BLK LAQ, BXB	38,556
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	4,176
	2 1/2 SCH 10 X 24' A53 GR A, BARE, IMP, SQXSQ	2,544
	2 3/8 X 11GA X 24' NEW, TUBING	1,392
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	13,959
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503
	2 3/8 X .250 5.95# X 31.5' AVG, USED	19,341
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, <b>MTRS</b>	6,384
	2 3/8 X .218 SEAMLESS A53 GR B, SURPLUS, ARO/FBE/WHITE POLY, BXB/T&C	12,559
	2 3/8 X .190 X 31.5' AVG, USED	48,453
	2 3/8 X .154 ERW A53 GR A, ASTM, GALVANIZED, T&C, IMP, <b>MTRS</b>	3,287
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, <b>MTRS</b>	1,470
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	1,806
	2 3/8 X .140 X 32' ERW, BARE	2,112
	2 3/8 X .110 STRUCTURAL, BARE, SQXSQ, 0-1 MW	4,600
	2 3/8 X .109 SCH 10 ERW, SECONDARY, BARE, SQXSQ, 0-1 MW	2,555
	2 3/8 X .090 X 24' NEW, BARE, SQXSQ	42,420
	2 1/16 X .154 X 32' AVG, USED, OCTG	2,142
	1.9 X .090 14 GA X 21' ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	7,686
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	17,040
<b>1</b>	1.66 X .120 X 21' NEW, TUBING, BARE	17,341



*the*  
**BIG LIST**

**MARCH  
2024**
**800-764-7473 • BisonPipe.com**

<b>OD</b>	<b>DESCRIPTION</b>	<b>FOOTAGE</b>
<b>1</b>	1.66 X .109 STRUCTURAL, BARE, SQXSQ, 0-1 MW	11,025
	1.66 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ	38,603
	1.66 X .083 X 20' 14 GA ERW, BARE, TUBING, SQXSQ (61 PCS/BUNDLE)	25,528
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,058
	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	1,722
	1 1/2 X .083 14 GA ERW, SURPLUS, BARE, TUBING, SQXSQ	12,784
	1.315 X .120 X 24' NEW (61 PCS PER BUNDLE)	15,297
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	3,888
	1 1/4 X .083 X 24' 14 GA, NEW (127 PCS PER BUNDLE)	29,888
	1 1/4 X .083 X 20' 14 GA, BARE, IMP, SQXSQ	1,760
	1 1/4 X .083 X 20' 14 GA, NEW, BARE, TUBING (127 PCS PER BUNDLE)	11,740
	1.05 X .083 X 20' NEW, BARE, SQXSQ	3,020
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	2,688
	1 X .133 ERW A53 GR A/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	9,792
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP, BXB	5,544
	1 X .133 ERW A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,835
	1 X .133 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	3,786
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	8,470
<b>3/4</b>	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, <b>MTRS</b>	2,856
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b>	2,037
	3/4 X .113 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	3,528
	3/4 X .113 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,100
	3/4 X .065 16 GA ERW, STRUCTURAL, SURPLUS, BARE, TUBING, SQXSQ	20,088
<b>1/2</b>	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, <b>DOM</b> , BXB, <b>MTRS</b>	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, BLK LAQ, T&C (120 PCS PER BUNDLE)	3,444
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ, <b>MTRS</b>	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, <b>MTRS</b>	4,326
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , <b>MTRS</b>	4,641

Don't see what you're looking for? **CALL TODAY!** 800.764.7473