

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
66	66 X .488 STRUCTURAL, BARE, BXB,	7
60	60 X 1.125 SURPLUS, WHITE PAINT, SQXSQ	16
	60 X 1.00 ROLLED & WELDED, BARE, SQXSQ, 1 MW, MTRS	10
54	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
52	52 X .750 ROLLED & WELDED, BARE, SQXSQ, 4 MW	21
51	51 X .625 STRUCTURAL, BARE, TCXTC	19
48	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	295
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE, BXSQ	119
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ/SQXSQ	369
	48 X .720 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXTC, MTRS	81
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM, MIXED ENDS, MTRS	233
	48 X .500 DSAW API 5L X52, BARE, IMP, BXB	80
	48 X .500 SPIRALWELD, BARE, SECONDARY	108
	48 X .42 SIGN POLE, WHITE PAINT, SQXPLATE	71
	48 X .406 #1 SPIRALWELD API 5L X42, USED, CLEANED BARE, 0-2 MW, MTRS	46,274
	48 X .375 USED BARE, WATERLINE, CONCRETE LINED	156
	48 X .375 ERW, SURPLUS, BARE, SQXSQ	110
42	42 X .888 ERW API 5L X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	122
	42 X .750 ERW, SURPLUS, FBE, BXSQ/SQXSQ, 0-1 MW, MTRS	101
	42 X .740 SPIRALWELD API 5L X70, ARO/FBE, IMP, BXB, MTRS	147
	42 X .660 SPIRALWELD, SURPLUS, BARE/FBE, MIXED ENDS	78
	42 X .625 ERW, SECONDARY, BARE, BXSQ	120
	42 X .625 SPIRALWELD, BARE, FLOWLINER, BXTC, 0-3 MW	162
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	5,163
	42 X .617 SPIRALWELD API 5L X70, SURPLUS, ARO/FBE, DOM, MIXED ENDS, 0-3 MW	553
	42 X .542 SPIRALWELD API 5L X70, SURPLUS, FBE	3,665
	42 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	90
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	189
36	36 X 1.500 DSAW API 5L X56, BARE, IMP, BOX X PIN, MTRS	630
	36 X 1.00 STRAIGHT SEAM API 5L X70, ARO, BERG, MTRS	248
	36 X 1.00 STRAIGHT SEAM API 5L X70, CLEANED BARE, BERG, MTRS	99
	36 X .750 DSAW API 5L X65, RED FBE, MTRS	100
	36 X .750 DSAW API X70, SURPLUS, ARO/FBE, MIXED ENDS, 0-2 MW	386
	36 X .688 - .750 DSAW, SPIRALWELD, USED, ARO, MIXED ENDS, 0-1 MW	583
	36 X .625 - .750 SPIRALWELD, BARE	38
	36 X .748 SPIRALWELD API 5L X70, ARO/FBE, WELSPUN, MTRS	1,404
	36 X .748 SPIRALWELD API 5L X70, ARO, MTRS	357
	36 X .748 SPIRALWELD API 5L X70, BARE, 0-2 MW, MTRS	189

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .688 DSAW API X65, ARO/FBE, BXB, DOM, MTRS	370
	36 X .688 SPIRALWELD, USED, FLOWLINER, PITTING, TXT, 0-2 MW	198
	36 X .634 ERW X70 CSA GR 483, ARO, SQXSQ, 1 MW	256
	36 X .625 DSAW, SURPLUS, ARO, MIXED ENDS, 0-1 MW	143
	36 X .625 SPIRALWELD A252 GR 3, USED, BARE, M&M DOM, BXB, MTRS	461
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API 5L X70, CLEANED BARE, DOM, BXSQ/BXTC, 0-1 MW, MTRS	113
	36 X .618 SPIRALWELD API X70, FBE, MTRS	131
	36 X .618 NEW SURPLUS STRAIGHT SEAM, ARO/FBE COATED, 0-2 MW	55
	36 X .618 ROUGH ARO, BXB	39
	36 X .618 SPIRALWELD X70, ARO/FBE, WELSPUN, BXTC, MTRS	4,339
	36 X .594 DSAW API X65, ARO/FBE, DOM, MIXED ENDS, 0-1 MW	878
	36 X .579 STRAIGHT SEAM CSA Z245.1-8 GR 483 CAT II, FBE, IMP, BXB, 0-1 MW, MTRS	20,716
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .572 SPIRALWELD 5L API X70, BARE, IMP, BXB, 0-1 MW, MTRS	352
	36 X .572 SPIRALWELD API 5L X70 BARE, WELSPUN, BXB MTRS	214
	36 X .572 SPIRALWELD API 5L X70, FBE, BXSQ, IMP, 0-1 MW, MTRS	3,666
	36 X .515 SPIRALWELD, SURPLUS, FBE, MIXED ENDS, 0-2 MW	669
	36 X .515 SPIRALWELD X70, FBE, MIXED ENDS, MTRS	507
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	328
	36 X .500 #1 ERW, USED, TAPE, TC, 0-1 MW	280
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD A252, BARE, MIXED ENDS, 0-3 MW	176
	36 X .500 SPIRALWELD, USED, BARE, TCXTC, FINS	282
	36 X .500 USED STRAIGHT SEAM GALVANIZED	135
	36 X .469 DSAW, SURPLUS, FBE, BLACK ID LINER	161
	36 X .469 DSAW API 5L X70, BARE, IMP, BXB/BXSQ	108
	36 X .465 DSAW API 5L X70 GR 483 CAT II, FBE, IMP, 0-1 MW, MTRS	471
	36 X .465 DSAW X70 GR 483 CAT II, CLND BARE, IMP, MTRS	365
	36 X .465 DSAW X70 GR 483 CAT II, FBE, IMP, MIXED ENDS, MTRS	225,229
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	707
	36 X .465 ERW API 5L X70 483 CAT II GR, FBE, IMP, BXB, MTRS	1,736
	36 X .465 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	141
	36 X .465 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, MTRS	477
	36 X .465 SPIRALWELD API 5L X70, BARE/FBE, MIXED ENDS, MTRS	7,237
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM, MIXED ENDS, MTRS	34,498
	36 X .465 SPIRALWELD API 5L X70, FBE, MTRS	8,960
	36 X .438 USED STRAIGHT SEAM FBE, MIXED ENDS, 1-3 MW	872
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM, SQXSQ, 0-1 MW, MTRS	197
	36 X .412 STRAIGHT SEAM, SURPLUS, FBE, MIXED ENDS, 0-1 MW	254

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .375 #1 ERW, USED, TCXTC, 0-1 MW	13,651
	36 X .375 USED, BARE, WATERLINE, CONCRETE LINED	1,244
34	34 X .281 USED #1 & #2 STRT SM X52 CLND 0-2 MW	1,115
	34 X .281 USED, CLEANED BARE, 0-2 MW	35,554
	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
	34 X .505 ERW API 5L X60 FBE BERG DOM, BXB 1 MW, MTRS	207
	34 X .438 API 5L X65, ARO/FBE, DOM, BXB, MTRS	3,779
	34 X .406 API 5L X65 FBE, DOM, BXB, MTRS	832
	30 X .656 SPIRALWELD API X70, FBE, DOM, BXTC, MTRS	212
30	30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	230
	30 X .625 DSAW API 5L X65, BARE, DURABOND, BXB, M&M DOM, MTRS	153
	30 X .625 DSAW API 5L X70, CLAD, MTRS	399
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	282
	30 X .625 SPIRALWELD API 5L X65, CLEANED BARE, M&M DOM, BXB, MTRS	2,782
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM, SQXSQ, MTRS	631
	30 X .500 SPIRALWELD, USED, BARE, TCXTC, PICKING EYES	266
	30 X .441 DSAW API 5L X70, FBE, MTRS	519
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	211
	30 X .441 SPIRALWELD A252, BARE, DOM, BXSQ, MTRS	133
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM MAN ONLY, BXB, MTRS	254
	30 X .429 SPRIALWELD, SURPLUS, BARE, SCALING, MIXED ENDS	539
	30 X .429 SPIRALWELD, SURPLUS, FBE, BXSQ	300
	30 X .406 DSAW X65, FBE, DOM, BXB, 1 MW, MTRS	199
	30 X .386 SPIRALWELD, SURPLUS, X70, FBE, BXB, IMP MTRS	542
	28	28 X .752 DSAW API 5L X52 X56, BARE, IMP, BOXxPIN, MTRS
28 X .750 DSAW API 5L X56, BARE, IMP, MTRS		1,883
26	26 X .312 ERW, USED, BARE/BLK RESIDUE, HVY PITTING, BXB, 0-1 MW	19,376
24	24 X .625 ERW API 5L X65, FBE, BXB	359
	24 X .500 DSAW API 5L X52, BARE, IMP, BXB, MTRS	5,829
	24 X .500 ERW 483 CAT II, SURPLUS, FBE, IMP, BXB MTRS	2,824
	24 X .500 ERW API 5L X60 X70 , SURPLUS, ARO/FBE, DOM, BXB	201
	24 X .500 ERW API 5L X70, ARO, IMP, BXB, MTRS	712
	24 X .500 ERW API 5L X65, FBE, M&M DOM, BXB, MTRS	320
	24 X.500 ERW, SURPLUS, BARE, SQXSQ/SQXTC	228
	24 X .500 SPIRALWELD, SURPLUS, SHORTS	497
	24 X .406 ERW, SURPLUS 483 CAT II FBE, BXB	343
	24 X .375 API 5L X42, USED, BARE, MIXED ENDS, 0-3 MW	284
	24 X .375 API 5L X65 GR, FBE, BXB, M&M DOM, MTRS	1,830
	24 X .375 ERW A252 GR 3 A36, USED, BARE, PICKING EYES, TXT, 0-1 MW	321
	24 X .375 ERW API 5L X65, POWERCRETE, IMP, MTRS	204

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE	
24	24 X .375 ERW SPIRALWELD, SURPLUS, BARE, MIXED ENDS, 0-2 MW	526	
	24 X .354 ERW 483 CAT II, SURPLUS, FBE, IMP, BXB, MTRS	2,060	
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	377	
22	22 X .625 API X52, SURPLUS, BARE/BLK LAQ, SQXSQ	408	
	22 X .375 DSAW API 5L X46, SPIRALWELD, BARE, IMP, MTRS	4,308	
	22 X .281 ERW API X70, SURPLUS, FBE, BXB	5,365	
20	20 X .750 GALVANIZED M&M DOM,	413	
	20 X .750 ERW, SURPLUS, ARO/FBE, 0-3 MW	379	
	20 X .625 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	258	
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	246	
	20 X .594 ERW API 5L X65, FBE	544	
	20 X .562 ERW X70, SURPLUS, FBE, BXB	363	
	20 X .500 A252 GR 2/3, BARE, DOM, BXB, MTRS	6,107	
	20 X .500 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,190	
	20 X .500 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-2 MW	315	
	20 X .500 ERW, SURPLUS BARE MIXED ENDS, 0-2 MW	5,369	
	20 X .500 ERW X65, SURPLUS, ARO, BXB	312	
	20 X .500 SEAMLESS A333 API5L X52, ARO, BXB	403	
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, DOM, BXB, MTRS	205	
	20 X .500 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-3 MW	194	
	20 X .500 SPIRALWELD, SURPLUS, BARE FBE, SQXSQ	1,613	
	20 X .500 USED, SURPLUS, ARO, BXB	822	
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	500	
	20 X .438 ERW, SURPLUS BARE FBE, MIXED ENDS,	100	
	20 X .438 ERW A252, BARE, DOM, BXB, MTRS	15,877	
	20 X .375 #2 USED, FBE/ TCXTC, 0-3 MW	285	
	20 X .375 A252 GR 2/3, BARE, BXB, MTRS	3,660	
	20 X .375 ERW, API 5L X60, SURPLUS, 3LPP, BXB	353	
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	321	
	20 X .300 - .375 #2 USED, CLEANED BARE, PITTING, TCXTC, 0-1 MW	1,355	
	20 X .312 ERW, SURPLUS, BARE, DOM, BXB	387	
	20 X .312 DSAW, USED, CLEANED BARE, TCXTC, 0-1 MW	789	
	20 X .312 ERW API 5L X60 GR, BARE, BXB, MTRS	858	
	20 X .281 API 5L X65, FBE, M&M DOM, BXB/BXSQ, MTRS	280	
	20 X .134 SPIRALWELD, SURPLUS, CONCRETE & LINED, SQ X BELL	267	
	18	18 X .750 ERW, SURPLUS A252 GR3 BARE SQXSQ FBE, BXB	337
		18 X .605 - .625 ERW, SURPLUS, BARE, ID SEAM, 2-5 MW	2,545
		18 X .625 ERW A252-19 GR 3, BARE, M&M DOM, SQXSQ/SQXCAP, MTRS	919
18 X .562 SEAMLESS API 5L X65, SURPLUS, BARE, BXB		582	
18 X .375 ERW API 5L X42 A53 GR B BLK LAQ BXB, IMP MTRS		2,147	

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
18	18 X .375 SEAMLESS API 5L X42 FBE BXB, IMP MTRS	1,038
16	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	300
	16 X .625 ERW A500 GR C, BARE, M&M DOM, SQXSQ, MTRS	1,015
	16 X .625 A252 GR 3, BARE, M&M DOM, MTRS	223
	16 X .580 USED, BARE, PITTED, T&C	3,692
	16 X .500 ERW API 5L X60, ARO/FBE, DOM, BXB, MTRS	746
	16 X .500 ERW API 5L X60, BARE, DOM, BXB, MTRS	404
	16 X .500 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	555
	16 X .500 ERW API 5L X52 A53 GR B, ARO/FBE, IMP, BXB/BXTC, MTRS	506
	16 X .500 ERW A252 GR2/3, BARE, DOM, BXB, MTRS	724
	16 X .500 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	275
	16 X .500 GALVANIZED, MIXED ENDS	190
	16 X .500 LIMITED SERVICE, BARE, M&M DOM, MIXED ENDS	214
	16 X .500 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	284
	16 X .406 ERW, SURPLUS BARE, BXB	283
	16 X .375 ERW A53 GR B X42, GALVANIZED, IMP, BXB, ROLLED GROOVED ENDS, MTRS	375
	16 X .375 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	14,929
	16 X .375 ERW API 5L X52 ARO, DOM, BXB MTRS	1,206
	16 X .375 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	2,127
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	305
	16 X .375 ERW API 5L X52, CTD, IMP, BXB, MTRS	699
	16 X .344 ERW A252 GR 2/3 BARE DOM, MIXED ENDS MTRS	5,949
	16 X .312 ERW, SURPLUS A53 X42 ARO, BXB	1,343
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	972
	16 X .312 ERW, SURPLUS, FBE, BXB	565
	16 X .312 ERW API 5L X52 X46 FBE DOM, BXB MTRS	438
	16 X .312 ERW A53 GR B API 5L X42, BARE, IMP, BXB, MTRS	1,092
	16 X .281 ERW X52, SURPLUS, FBE, MIXED ENDS, 0-1 MW	3,331
	16 X .281 ERW A252 GR 2/3, BARE, DOM, BXB/BXSQ, MTRS	1,951
	16 X .250 A252 GR 2/3, BARE, DOM, BXB, MTRS	6,046
	16 X .250 ERW API 5L X52 FBE, DOM, BXB, MTRS	1,735
	16 X .250 ERW API 5L X65 GR, BARE, BXB, MTRS	23,366
	16 X .250 ERW, SURPLUS, FBE, MIXED ENDS	1,097
16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	1,031	
16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	3,144	
14	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM, MTRS	2,954
	14 X .500 ERW API 5L X52, BARE, DOM, BXB, MTRS	3,654
	14 X .500 ERW API 5L X52, POWERCRETE, DOM, BXB, MTRS	1,036
	14 X .500 ERW, SURPLUS, ARO/ MIXED ENDS	707
	14 X .500 ERW, SURPLUS, BARE/BLK LAQ, ID SEAM, SQXSQ	337

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
14	14 X .500 ERW, USED, BARE, TCXTC	277
	14 X .438 ERW, SURPLUS BARE DOM, SQXSQ	495
	14 X .375 ERW A53 GR B X42, GALVANIZED, IMP, BXB, MTRS	511
	14 X .375 ERW, LIMITED SERVICE, BARE, DOM, BXB	305
12	12 3/4 X .844 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	1,278
	12 3/4 X .625 ERW, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	601
	12 3/4 X .500-.562 #2USED BARE, BXB, X 20' MW	20
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, MTRS	1,822
	12 3/4 X .469 SEAMLESS API 5L GR B X65, ARO/FBE, IMP, BXB, MTRS	11,313
	12 3/4 X .469 SEAMLESS API 5L GR B X65, BARE, IMP, BXB, MTRS	1,432
	12 3/4 X .375 ERW API 5L X52, ARO, M&M DOM, BXB, MTRS	3,101
	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, ID FLOWLINER, ZAP LOCK ENDS	962
	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,922
	12 3/4 X .375 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	624
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	402
	12 3/4 X .312 ERW API, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,096
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 ERW, SURPLUS BARE, BXB, 1-3 MW	763
	12 3/4 X .281 ERW, STRUCTURAL, BARE, MIXED ENDS, 0-1 MW	920
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, BXB	320
	12 3/4 X .250 ERW API 5L X60, FBE, M&M DOM, BXB, MTRS	20,340
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	5,922
	12 3/4 X .250 ERW, SURPLUS, BARE	961
	12 3/4 X .250 ERW, SURPLUS BARE MIXED ENDS, 0-1 MW	4,454
	12 3/4 X .250 ERW X52 A53 GR B, SURPLUS, FBE, BXB	2,811
	12 3/4 X .250 ERW STRUCTURAL FBE, DOM, MIXED ENDS	65
	12 3/4 X .250 SURPLUS BARE 0-1 MW	37
	12 3/4 X .250 USED, SLURRY LINED, BARE, BXB	387
	12 3/4 X .250 ERW STRUCTURAL FBE DOM, SQXTC SQXB	237
	12 3/4 X .219 ERW 359, FBE, MIXED ENDS	454
	12 3/4 X .219 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	2,233
12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,151	
10	10 3/4 X .500 ERW API 5L A53 GR B X42, BARE/BLK LAQ, IMP, BXB, MTRS	239
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM, MTRS	2,829
	10 3/4 X .500 ERW, SURPLUS BARE, BXB	596
	10 3/4 X .500 ERW, STRUCTURAL BARE 2 MW	1,522
	10 3/4 X .500 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS	1,614
	10 3/4 X .500 GALVANIZED, MIXED ENDS	608
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
10	10 3/4 X .500 USED, BARE/BLK LAQ, 0-2 MW	107
	10 3/4 X .365 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	3,794
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	935
	10 3/4 X .365 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS, 0-2 MW	634
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	1,400
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .250 ERW A53 GR B X42, BARE, IMP, BXB, MTRS	1,089
	10 3/4 X .250 ERW API 5L X52 FBE, DOM, MTRS	1,211
	10 3/4 X .250 ERW API X52, SURPLUS, FBE, MIXED ENDS	1,731
	10 3/4 X .219 ERW, SURPLUS CLND BARE MIXED ENDS, 0-2 MW	672
	10 3/4 X .219 ERW, SURPLUS, FBE, MIXED ENDS, 0-2 MW	638
	10 3/4 X .188 ERW, SURPLUS, FBE, MIXED ENDS, 0-1 MW	1,616
	10 3/4 X .188 ERW A53 GR B X42 BARE, BXB MTRS	1,914
	10 3/4 X .165 #1 ERW A53 GR B, USED, BARE/BLK LAQ, ROLL GROOVE ENDS, MTRS	31,730
9	9 5/8 X .438 USED, BARE, PITTED, T&C	4,003
	9 5/8 36# USED CASING, BARE/BLK LAQ	1,334
	9 5/8 40# NEW CASING, BLK LAQ	742
8	8 5/8 X .625 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	1,960
	8 5/8 X .562 SEAMLESS API 5L X65, SURPLUS, BARE, BXB	2,645
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	2,281
	8 5/8 X .438 SEAMLESS API 5L X60, FBE, IMP, BXB, MTRS	1,184
	8 5/8 X .322 ERW A53 B, SURPLUS, BARE/BLK LAQ, BXB	693
	8 5/8 X .322 ERW A53 B X42, GALVANIZED, BXB	1,805
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,530
	8 5/8 X .322 ERW A53 GR B, SURPLUS, BLK LAQ, IMP, BXB	900
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ, 1-2 MW, BUNDLED	3,109
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW/MW	10,638
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-2 MW	6,320
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE, ID LINER, ZAP LOCK ENDS	2,185
	8 5/8 X .322 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	730
	8 5/8 X .322 ERW X52 A53 GR B, SURPLUS, FBE, IMP, ZAP LOCK ENDS, 0-1 MW	3,355
	8 5/8 X .322 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	2,299
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	726
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, ARO/FBE, BXB,	572
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,093
	8 5/8 X .250 ERW, SURPLUS, FBE, BXB/BXTC	6,310
	8 5/8 X .250 ERW X52, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	3,938
	8 5/8 X .250 ERW X65 A53 GR B, SURPLUS, FBE, BXB	1,502
8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,322	

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
8	8 5/8 X .219 ERW, SURPLUS, ARO/FBE, IMP, MIXED ENDS	8,937
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,828
	8 5/8 X .188 ERW API X42 X52, SURPLUS, FBE	1,013
	8 5/8 X .188 ERW, LIMITED SERVICE, BARE, SQXSQ	1,304
	8 5/8 X .188 ERW, SURPLUS BARE FBE, BXB	642
	8 5/8 X .188 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 RW	1,130
	8 5/8 X .188 ERW, SURPLUS, FBE, MIXED ENDS	4,075
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	3,673
	8 5/8 X .188 STRUCTURAL, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,052
	8 5/8 X .188 STRUCTURAL SURPLUS, BARE, BXB,	126
7	7 5/8 X .385 SEAMLESS, SURPLUS, BARE, SQXSQ/T&C	4,943
	7 5/8 X .375 ERW, LIMITED SERVICE, CASING, BARE/BLK LAQ, BXB/SQXSQ	10,742
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,019
6	6 5/8 X .280 ERW, USED, CLEANED BARE, 0-2 MW	1,631
	6 5/8 X .280 ERW API X52 A53 GR B, USED, ARO/FBE, TCXTC	1,499
	6 5/8 X .250 USED ERW ARO / FBE, MIXED ENDS, 0-1 MW	1,617
	6 5/8 X .156 - .219 USED, CLEANED BARE, TCXTC, 1-2 MW	2,859
	6 5/8 X .188 ERW, USED, BARE/BLK LAQ, MIXED ENDS, 0-1 MW	1,556
	6 5/8 X .188 USED, FBE, MIXED ENDS, 0-1 MW	1,447
	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	6,170
	6 5/8 X .432 SEAMLESS, SURPLUS API 5L X52 ARO/FBE	1,374
	6 5/8 X .280 ERW, SURPLUS, GALVANIZED, BXB	9,989
	6 5/8 X .280 ERW, SURPLUS, ARO/FBE, MIXED ENDS, 0-1 MW	1,511
	6 5/8 X .280 ERW, SURPLUS, BLK LAQ, BXB	4,808
	6 5/8 X .250 ERW, SURPLUS API 5L X52 FBE, BXB	1,266
	6 5/8 X .250 ERW API 5L A53 GR B X52 BARE M&M DOM, BXB MTRS	180
	6 5/8 X .250 ERW, SURPLUS, FBE, BXB	2,348
	6 5/8 X .188 ERW, SURPLUS, FBE, BXB/BXINV	3,835
	6 5/8 X .188 ERW API 5L X52, SURPLUS, FBE, BXB	2,312
	6 5/8 X .134 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, ROLL GROOVED ENDS	294
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	2,550
6 X .250 ERW, SURPLUS, BARE, SQXSQ, 0-1 RW	1,033	
6 X .188 ERW, SURPLUS, BARE, SQXSQ	758	
5	5 1/2 X .361 ERW, CASING, BARE, MIXED ENDS	2,439
	5 1/2 X .304 ERW, CASING, BARE, MIXED ENDS	3,353
	5 9/16 X .258 ERW A53 GR B X42, GALVANIZED, IMP, BXB/VGXVG, MTRS	1,827
	5 9/16 X .134 A53 GR A, GALVANIZED, MTRS	5,355
4	4 1/2 X .337 SEAMLESS, SURPLUS A53 GR A/B, ARO/FBE ID&OD FBE, BXB	4,697
	4 1/2 X .337 - .406 SEAMLESS, SURPLUS, BARE/BLK LAQ, MIXED ENDS	1,619
	4 1/2 X .337 ERW, SURPLUS, BARE/BLK LAQ, MIXED ENDS	1,423

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
4	4 1/2 X .290 ERW A252 GR 2/3, BARE, M&M DOM, SQXSQ, MTRS	1,260
	4 1/2 X .250 SEAMLESS, SURPLUS, BARE, BXB	3,534
	4 1/2 X .250 ERW, LIMITED SERVICE, BARE	2,454
	4 1/2 X .250 ERW A252 GR 2/3, BARE, M&M DOM, SQXSQ, MTRS	9,702
	4 1/2 X .237 ERW A53 GR B, SURPLUS, BARE/BLK LAQ, MIXED ENDS, IMP	815
	4 1/2 X .237 ERW A53 GR A, SURPLUS, GALVANIZED, T&C, IMP	1,890
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, IMP, T&C, MTRS	3,909
	4 1/2 X .237 X 21' A53 GR A, BLK LAQ, IMP, MIXED ENDS, MTRS	1,785
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	3,640
	4 1/2 X .188 ERW, SURPLUS, ARO/FBE, MIXED ENDS	4,245
3	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	3,422
	3 1/2 X .254 X 31.5' AVG, ERW, USED, BARE	39,373
	3 1/2 X .254 ERW, USED, BARE	2,120
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP, BXB	1,003
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	3,230
	3 1/2 X .300 ERW API 5L X52, BARE, DOM, MTRS	1,069
	3 1/2 X .300 SEAMLESS A106 GR B, BARE/BLK, M&M DOM, BXB, MTRS	12,039
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, M&M DOM, MTRS	1,613
	3 1/2 X .254 X 33' GR B, SURPLUS	1,056
	3 1/2 X .216 SCH 40 ERW, SECONDARY, BARE, SQXSQ	1,111
	3 1/2 X .216 DSAW, SURPLUS, GALVANIZED, T&C	5,880
	3 1/2 X .216 ERW A53 GR A, GALVANIZED, T&C, IMP (14 PCS PER BUNDLE)	40,278
	3 1/2 X .216 ERW A53 GR B, SURPLUS, GALVANIZED, IMP, BXB	7,770
	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,898
	3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,079
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, MTRS	2,137
	3 1/2 X .216 ERW, SURPLUS, FBE, BXB	1,210
	3 1/2 X .188 ERW X42 A53 GR B, BARE/BLK LAQ, IMP, BXB, MTRS	3,974
3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804	
3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394	
3 X .250 ERW, SECONDARY, BARE, TUBING, SQXSQ/TCXTC	2,430	
2	2 7/8 X .286 7.9# X 31.5' AVG ERW, USED, BARE, T&C	1,985
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	5,224
	2 7/8 #1 X 31.5' AVG, USED, TUBING, LINED, BARE, T&C	2,678
	2 7/8 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	78,570
	2 7/8 X .217 X 31.5' ERW, USED, BARE, PLASTIC ID LINER	2,520
	2 7/8 X .217 X 31.5' AVG ERW, USED, BARE, CULVERT	2,833
	2 7/8 X .217 X 31.5' USED, BARE, T&C	24,939
	2 7/8 X .375 SEAMLESS A106 X52, BARE/BLK LAQ, IMP, BXB, MTRS	2,205
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,313

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
2	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M T&C, DOM, MTRS	2,835
	2 7/8 X .203 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	38,934
	2 7/8 X .203 ERW, SURPLUS, BLK LAQ, BXB	38,472
	2 7/8 X .203 ERW, SURPLUS, BARE/BLK LAQ, T&C	5,817
	2 7/8 X .120 X 24' ERW A53 GR A, BARE, IMP, SQXSQ	2,544
	2 7/8 X .120 A135 BLK LAQ RG SQXSQ NOTCHED ENDS FBE,	1,944
	2 7/8 X .086 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, ROLL GROOVED ENDS	1,320
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	4,176
	2 7/8 X .219 X 33' AVG, SECONDARY, BARE	7,656
	2 7/8 X .190 X 33' 6.5# SECONDARY, TUBING	10,032
	2 3/8 X .250 5.95# X 31.5' AVG, USED	19,341
	2 3/8 X 4.7# X 31.5' AVG, USED, TUBING, BARE, THXC	1,324
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	15,102
	2 3/8 X .190 X 31.5' AVG, USED	1,260
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,460
	2 3/8 X .218 SEAMLESS A53 B, SURPLUS, ARO/FBE/WHITE POLY, BXB/T&C	12,832
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ/THXTH	35,384
	2 3/8 X .154 ERW A53 B, SURPLUS, BARE/BLK LAQ, BXB	1,638
	2 3/8 X .154 ERW A53 GR A, SURPLUS, GALVANIZED, IMP, BXB	34,920
	2 3/8 X .154 ERW, SURPLUS, BARE/BLK LAQ, BXB/BXSQ	9,633
	2 3/8 X .154 ERW, SURPLUS, BLK LAQ, T&C	139,540
	2 3/8 X .154 ERW, SURPLUS, BLK LAQ, T&C	9,408
	2 3/8 X .154 X 21' ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS (26 PCS PER BUNDLE)	59,955
	2 3/8 X .140 X 32' ERW, BARE, SQXSQ	2,080
	2 3/8 X .120 X 24' ERW, STRUCTURAL, SURPLUS, BARE (37 PCS PER BUNDLE)	1,392
	2 3/8 X 11 GA X 24' ERW, NEW, TUBING, BARE, SQXSQ	1,080
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ, 0-1 RW	2,555
	2 3/8 X .090 X 24' NEW, BARE, SQXSQ	33,621
	2 1/16 X .154 X 32' AVG, USED, OCTG	1,459
	2 3/8 X .190 X 33' A53 GR B/C, SECONDARY, TUBING	9,408
	2 3/8 X .190 X 31.5', SECONDARY, TUBING	2,268
	2 3/8 X .190 X 33' A53 GR B/C, SECONDARY, TUBING	6,963
	1.9 X .145 USED OIL X 31.5'AVG T&C ENDS BARE	27,669
	1.9 X .090 14 GA X 21' ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	7,551
	1.9 X .090 X 24' ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	7,896
	1.9 X .083 X 20' 14 GA ERW, NEW, BARE	4,420
	1.9 X .083 X 24' 14 GA ERW, BARE	22,320
	1	1.66 X 2.4# X 31.5' AVG, OCTG, USED, BARE, T&C
1.66 X .120 ERW TUBING BARE SQXSQ X 21' LENGTHS		10,884
1.66 X .109 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW		11,025

APRIL 2025

BIG LIST



800-716-7473 • InternationalPipe.com

OD	DESCRIPTION	FOOTAGE
1	1.66 X .083 14GA ERW BARE TUBING SQXSQ X 20' FBE, (61 PCS PER BNDL)	22,002
	1.315 X .133 ERW, SURPLUS, BLK LAQ /FBE, SQXSQ	29,664
	1.315 X .120 X 24' ERW, NEW (61 PCS PER BUNDLE)	6,897
	1 1/2 X .145 ERW A53 A, SURPLUS, BARE/BLK LAQ, T&C	1,176
	1 1/2 X .145 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	1,617
	1 1/2 X .145 ERW A53 GR A, BLK LAQ, IMP, SQXSQ, MTRS	1,323
	1 1/2 X .109 ERW A53 A, SURPLUS, BARE/BLK LAQ, ROLL GROOVED ENDS	2,793
	1 1/2 X .083 (14GA) ERW, SURPLUS BARE TUBING FBE, SQXSQ	12,384
	1 1/4 X .140 ERW A53 GR A, GALVANIZED, M&M T&C, DOM, MTRS	1,272
	1 1/4 X .140 ERW A53 A, SURPLUS, BARE/BLK LAQ, T&C	1,701
	1 1/4 X .140 ERW, SURPLUS, BARE/BLK LAQ, BXB	2,961
	1 1/4 X .083 X 24' 14 GA, SURPLUS, NEW, BARE, SQXSQ	41,705
	1 1/4 X .083 X 20' 14 GA ERW, BARE, IMP, SQXSQ	71,280
	1 X .133 SCH 40 A53 GR E/F, BLK LAQ, T&C	2,625
	1 X .179 USED, BARE, TXC,	10,472
	1 X .179 SEAMLESS A106 GR B, GALVANIZED, T&C	2,564
	1 X .133 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	12,558
	1 X .133 ERW A53 GR A, GALVANIZED, IMP, MIXED ENDS, MTRS	3,414
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM, T&C, MTRS	9,792
	1 X .133 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, BXB	3,682
1 X .133 SEAMLESS A106 GR B, FBE, M&M DOM, MTRS	8,386	
1 X .133 SURPLUS, GALVANIZED, SQXSQ	273	
3/4	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	93,912
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, THXTH, MTRS	2,536
	3/4 X .113 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	3,129
	3/4 X .154 ERW A53 GR A/F, GALVANIZED, M&M DOM, BXB, MTRS	2,583
	3/4 X .113 ERW, SURPLUS, BARE/BLK LAQ, BXB/SQXSQ	120,873
	3/4 X .065 ERW, SURPLUS, BARE, SQXSQ	20,088
1/2	1/2 X .147 ERW A53 GR B/F, GALVANIZED, DOM, BXB, MTRS	3,045
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	3,581
	1/2 X .109 ERW, SURPLUS, GALVANIZED, T&C	1,488
	1/2 X .109 ERW A53 GR A, GALVANIZED, M&M DOM, BXB, MTRS	7,560
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,200
	1/2 X .109 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	11,424
	1/2 X .109 ERW A53 GR F, FBE, DOM, TXT, MTRS	1,071
	1/2 X .109 SCH 40 SURPLUS, BARE/BLK LAQ, T&C	3,444
1/2 X .109 X 21' ERW A53 GR A, BLK LAQ, SQXSQ	1,218	

Don't see
what you're
looking for?

Call Today!

800-716-7473